


# EN, EN4

Monoblock Horizontal Type Single Stage Centrifugal Pumps





## **EBITT was born from “an idea” and turned into “an ideal”**

EBITT operates as a specialized organization with knowledge and experience in the field of pump and fluid technologies that will correctly interpret the demands of the Turkish and global market and develop right solutions by analyzing the differences in requirements well.

Ebitt was founded with the aim of being the ideal intersection point of supply and demand in the field of fluid technologies, not just being an organization that develops and markets products and technologies, but an all-around business model that can meet expectations at the highest level.

Ebitt is a perspective on the business world, a business model and a spirit.. In other words, Ebitt was founded on the basis of human resources capital, which aims at producing sustainability, permanence, expertise in business life and transferring this expertise like a relay race, rather than a classical capital basis.

For Ebitt, “innovation” is not just a step forward in the technology of devices and systems that it undertakes to produce and sell. For EBITT, innovation approach, i.e. creative innovation, takes the notion of versatile responsibility as the starting point: creating added value by meeting customer expectations at the top level, fully reflecting in “business” the benefits of new technologies brought to life, making no compromises on health and security conditions by considering the value and respect given to individuals as the guideline for business processes... Thus, every “creative innovation” developed as a combination of these criteria is innovation for EBITT and the driving force for EBITT is this understanding of innovation.

For EBITT, “quality” is a standard offered without demand in areas where water and other fluids are involved, that is, throughout life. EBITT, together with its suppliers and customers as well as teammates who have adopted the philosophy of EBITT, finds it successful to be in a sustainable “win-win” relationship.

With this understanding, EBITT has created a range of products from basic devices and systems to equipment with process-specific needs in all areas where water and fluid technologies are used, such as residences, industrial facilities, service buildings and facilities, agriculture, irrigation, swimming pools, treatment facilities and specific processes.

In this wide range of products and services, apart from standard manufactured devices and systems, there are also solutions specific to “business” that can provide maximum added value.

Because we claim that the most ideal solution is not always the highest budget solution, but the “most rational solution” that optimises the needs at best.

EBITT wants to be a “solution provider” in a relationship based on trust. It believes that it has the differences and values that deserve this, that it is dynamic and flexible enough to meet variable needs.

# EN, EN4

## Monoblock Horizontal Type Single Stage Centrifugal Pumps



- Single stage, rigid coupled, monoblock design
- Flange type of connections (PN10/16)
- Cast iron body and impeller
- Mechanical sealed (for different fluids: Options available)
- IP54, F insulation
- Operating Pressure: 16 bar
- Max Temperature: -20 °C, +120 °C
- EN4: ≤1450 rpm
- EEI ≥0,40

Model	Motor Power	Motor Speed	Q (m³/h)	0	6	12	15	18	21	24	27	30	33	36	39	
	kW	rpm	Q (l/min)	0	100	200	250	300	350	400	450	500	550	600	650	
EN 32-125/1,5	1,5	2900	H (m)	16,2	16,0	15,2	14,6	13,6	12,2	10,2						
EN 32-125/2,2	2,2	2900		21,4	21,4	20,9	20,4	19,6	18,5	17,0	15,0	12,4				
EN 32-125/3	3	2900		26,0	26,0	25,8	25,5	24,8	24,0	23,0	21,4	19,4	16,9	14,0		
EN 32-125/4	4	2900		29,2	29,2	29,0	28,8	28,4	27,8	26,8	25,6	24,0	22,2	19,8	17,2	
EN 32-160/2,2	2,2	2900		25,1	25,0	24,1	23,0	21,4	19,2	16,0						
EN 32-160/3	3	2900		30,3	30,2	29,5	28,5	27,0	25,2	22,4	18,8	14,2				
EN 32-160/4	4	2900		36,6	36,3	35,8	35,0	33,8	32,2	30,0	26,8	23,0	17,8			
EN 32-160/5,5	5,5	2900		44,0	43,6	43,2	42,6	41,8	40,5	38,8	36,2	32,8	28,8	24,0		
EN 32-200/5,5	5,5	2900		42,0	42,0	42,0	41,0	40,0	39,0	37,0	35,0	32,0	28,0	24,0		
EN 32-200/7,5	7,5	2900		53,0	53,0	53,0	52,0	52,0	51,0	50,0	48,0	45,0	43,0	43,0	35,0	
EN 32-200/11	11	2900		69,0	69,0	69,0	69,0	68,0	68,0	67,0	66,0	64,0	63,0	63,0	57,0	
EN 32-250/7,5	7,5	2900		60,0	59,0	59,0	58,0	56,0	54,0	50,0						
EN 32-250/11	11	2900		74,0	74,0	73,0	72,0	71,0	69,0	67,0	63,0	59,0	54,0			
EN 32-250/15	15	2900		91,0	91,0	91,0	90,0	89,0	89,0	87,0	85,0	81,0	78,0	73,0	66,0	
EN 32-250/18,5	18,5	2900		106,0	106,0	105,0	105,0	105,0	104,0	104,0	103,0	101,0	98,0	94,0	88,0	
EN 32-250/22	22	2900		108,0	108,0	108,0	108,0	107,0	107,0	106,0	105,0	103,0	100,0	97,0	91,0	

# EN, EN4

## Monoblock Horizontal Type Single Stage Centrifugal Pumps

Model	Motor Power	Motor Speed	Q (m <sup>3</sup> /h)	0	15	21	27	30	33	36	39	45	51	57	66	
	kW	rpm	Q (l/min)	0	250	350	450	500	550	600	650	750	850	950	1100	
EN 40-125/2,2	2,2	2900	H (m)	18,3	17,6	16,7	15,2	14,0	12,7	11,0	9,0					
EN 40-125/3	3	2900		23,4	22,9	22,1	20,8	19,8	18,7	17,3	15,5	11,3				
EN 40-125/4	4	2900		28,1	27,7	27,0	26,0	25,2	24,2	23,0	21,5	17,8	13,0			
EN 40-125/5,5	5,5	2900		31,1	30,7	30,2	29,2	28,5	27,6	26,5	25,3	22,1	17,7			
EN 40-160/4	4	2900		28,4	28,2	27,7	26,7	26,0	25,2	24,0	23,0	20,0	16,3			
EN 40-160/5,5	5,5	2900		35,8	35,8	35,2	34,5	33,8	33,1	32,2	32,1	28,7	25,5	21,5		
EN 40-160/7,5	7,5	2900		44,0	43,8	43,5	43,0	42,4	42,0	41,2	40,3	38,4	35,7	32,3		
EN 40-200/7,5	7,5	2900		40,0	39,0	39,0	38,0	38,0	37,0	36,0	35,0	32,0	28,0			
EN 40-200/11	11	2900		52,0	52,0	52,0	51,0	51,0	50,0	49,0	48,0	46,0	43,0	38,0		
EN 40-200/15	15	2900		65,0	65,0	65,0	65,0	64,0	64,0	63,0	62,0	61,0	58,0	54,0	48,0	
EN 40-200/18,5	18,5	2900		70,0	70,0	70,0	69,0	69,0	68,0	68,0	67,0	66,0	63,0	60,0	54,0	
EN 40-250/15	15	2900		63,0	63,0	63,0	63,0	62,0	61,0	60,0	59,0	57,0	53,0	48,0	38,0	
EN 40-250/18,5	18,5	2900		73,0	73,0	73,0	73,0	72,0	71,0	71,0	70,0	67,0	64,0	60,0	51,0	
EN 40-250/22	22	2900		82,0	82,0	82,0	82,0	81,0	81,0	81,0	80,0	78,0	75,0	72,0	64,0	
EN 40-250/30	30	2900		97,0	97,0	97,0	97,0	97,0	96,0	96,0	96,0	95,0	93,0	90,0	85,0	

Model	Motor Power	Motor Speed	Q (m <sup>3</sup> /h)	0	24	36	48	54	60	66	72	78	84	96	108	
	kW	rpm	Q (l/min)	0	400	600	800	900	1000	1100	1200	1300	1400	1600	1800	
EN 50-125/3	3	2900	H (m)	16,0	15,0	14,0	12,3	11,3	10,2	9,0						
EN 50-125/4	4	2900		20,8	20,2	19,0	17,7	16,8	15,8	14,7	13,3	12,0				
EN 50-125/5,5	5,5	2900		25,5	25,2	24,2	23,0	22,2	21,3	20,2	19,0	17,7	16,2			
EN 50-125/7,5	7,5	2900		30,2	30,0	29,2	28,2	27,4	26,5	25,6	24,3	23,0	21,6	18,0		
EN 50-160/5,5	5,5	2900		26,1	25,7	25,0	23,8	23,0	21,8	20,5	19,0					
EN 50-160/7,5	7,5	2900		31,3	31,0	30,5	29,4	28,5	27,6	26,5	25,0	23,2	21,3	16,3		
EN 50-160/11	11	2900		39,0	39,0	38,5	37,7	37,0	36,2	35,2	34,0	32,5	31,0	26,6	21,2	
EN 50-160/15	15	2900		44,5	44,6	44,2	43,8	43,0	42,4	41,6	40,5	39,0	37,6	34,0	29,0	
EN 50-200/11	11	2900		42,0	42,0	41,0	40,0	39,0	38,0	37,0	35,0	34,0	32,0			
EN 50-200/15	15	2900		52,0	52,0	52,0	51,0	50,0	49,0	48,0	47,0	45,0	43,0	40,0		
EN 50-200/18,5	18,5	2900		60,0	60,0	60,0	59,0	58,0	58,0	57,0	55,0	54,0	52,0	49,0		
EN 50-200/22	22	2900		68,0	68,0	68,0	68,0	67,0	67,0	66,0	65,0	63,0	62,0	59,0	55,0	
EN 50-250/18,5	18,5	2900		59,0	58,0	58,0	56,0	55,0	54,0	52,0	50,0	47,0	44,0	37,0		
EN 50-250/22	22	2900		68,0	68,0	68,0	66,0	65,0	64,0	62,0	60,0	58,0	55,0	49,0		
EN 50-250/30	30	2900		87,0	87,0	87,0	86,0	85,0	84,0	83,0	81,0	79,0	77,0	72,0	66,0	
EN 50-250/37	37	2900		100,0	99,0	99,0	99,0	98,0	97,0	96,0	94,0	92,0	90,0	86,0	82,0	

Model	Motor Power	Motor Speed	Q (m <sup>3</sup> /h)	0	54	72	78	84	90	96	102	108	120	138	162	
	kW	rpm	Q (l/min)	0	900	1200	1300	1400	1500	1600	1700	1800	2000	2300	2700	
EN 65-125/5,5	5,5	2900	H (m)	21,2	19,5	18,0	17,2	16,5	15,6	14,7	13,7	12,6	10,0	5,6		
EN 65-125/7,5	7,5	2900		27,0	25,6	24,0	23,3	22,6	21,8	20,8	19,8	18,7	16,3	12,0		
EN 65-125/11	11	2900		28,8	27,4	25,8	25,2	24,4	23,6	22,7	21,7	20,7	18,2	14,0		
EN 65-160/7,5	7,5	2900		28,0	26,7	25,0	24,3	23,4	22,4	21,2	19,8	18,3				
EN 65-160/11	11	2900		36,0	35,2	34,0	33,2	32,5	31,5	30,5	29,2	28,0	25,0			
EN 65-160/15	15	2900		43,2	42,8	41,8	41,2	40,5	39,8	39,0	38,0	36,8	34,0			
EN 65-200/15	15	2900		43,0	42,0	41,0	40,0	39,0	38,0	37,0	36,0	34,0	31,0	26,0		
EN 65-200/18,5	18,5	2900		49,0	49,0	47,0	46,0	46,0	45,0	44,0	43,0	42,0	39,0	34,0		
EN 65-200/22	22	2900		55,0	54,0	53,0	53,0	52,0	51,0	50,0	50,0	48,0	46,0	41,0	33,0	
EN 65-200/30	30	2900		67,0	67,0	66,0	65,0	65,0	64,0	64,0	63,0	62,0	61,0	57,0	50,0	
EN 65-250/30	30	2900		70,0	69,0	68,0	67,0	66,0	65,0	64,0	62,0	60,0	56,0	48,0		
EN 65-250/37	37	2900		81,0	80,0	79,0	79,0	78,0	77,0	76,0	75,0	73,0	69,0	62,0	50,0	
EN 65-250/45	45	2900		91,0	90,0	90,0	89,0	89,0	88,0	87,0	86,0	85,0	82,0	76,0	65,0	
EN 65-250/55	55	2900		101,0	101,0	101,0	100,0	100,0	100,0	99,0	98,0	98,0	95,0	90,0	80,0	

# EN, EN4

## Monoblock Horizontal Type Single Stage Centrifugal Pumps

Model	Motor Power	Motor Speed	Q (m <sup>3</sup> /h)	0	90	108	126	144	156	168	180	192	204	216	240	
	kW	rpm	Q (l/min)	0	1500	1800	2100	2400	2600	2800	3000	3200	3400	3600	4000	
EN 80-160/11	11	2900	H (m)	25,4	23,7	22,4	20,8	19,0	17,6	16,0						
EN 80-160/15	15	2900		31,3	29,7	28,7	27,4	26,0	24,8	23,4	21,9	20,4	18,5	16,6		
EN 80-160/18,5	18,5	2900		36,0	34,6	33,8	32,8	31,4	30,4	29,2	28,0	26,5	25,0	23,2	19,2	
EN 80-160/22	22	2900		40,0	38,7	38,0	37,0	36,0	35,0	34,0	32,8	31,5	30,0	28,5	24,7	
EN 80-160/30	30	2900		42,7	41,6	41,0	40,4	39,3	38,5	37,5	36,5	35,2	34,0	32,2	28,7	
EN 80-200/22	22	2900		43,0	41,0	40,0	38,0	36,0	35,0	33,0	31,0	29,0	26,0			
EN 80-200/30	30	2900		53,0	51,0	51,0	49,0	48,0	46,0	45,0	43,0	41,0	39,0	37,0		
EN 80-200/37	37	2900		60,0	59,0	59,0	58,0	56,0	55,0	54,0	52,0	50,0	48,0	46,0	42,0	
EN 80-200/45	45	2900		67,0	66,0	66,0	65,0	64,0	63,0	62,0	60,0	58,0	57,0	55,0	52,0	
EN 80-250/37	37	2900		64,0	63,0	61,0	59,0	56,0	54,0	51,0	48,0	44,0				
EN 80-250/45	45	2900		74,0	72,0	71,0	69,0	67,0	65,0	62,0	60,0	57,0	53,0	49,0		
EN 80-250/55	55	2900		84,0	83,0	82,0	80,0	78,0	77,0	75,0	72,0	70,0	67,0	63,0		
EN 80-250/75	75	2900		101,0	100,0	100,0	99,0	97,0	96,0	95,0	93,0	91,0	89,0	87,0	81,0	
EN 80-250/90	90	2900		106,0	106,0	105,0	105,0	104,0	103,0	101,0	100,0	98,0	96,0	94,0	89,0	

Model	Motor Power	Motor Speed	Q (m <sup>3</sup> /h)	0	108	144	168	192	204	216	228	240	264	288	312
	kW	rpm	Q (l/min)	0	1800	2400	2800	3200	3400	3600	3800	4000	4400	4800	5200
EN 100-160/22	22	2900	H (m)	36,2	35,0	33,5	32,1	30,5	29,6	28,6	27,5				
EN 100-160/30	30	2900		43,3	42,6	41,3	40,0	38,4	37,6	36,6	35,5	34,3	31,7	29,0	25,8
EN 100-160/37	37	2900		47,3	47,0	45,6	44,4	42,8	41,8	40,8	39,6	38,5	36,0	33,3	30,2
EN 100-200/30	30	2900		43,0	43,0	42,0	41,0	40,0	39,0	38,0	37,0	36,0	34,0	31,0	
EN 100-200/37	37	2900		48,0	49,0	48,0	47,0	46,0	45,0	44,0	43,0	42,0	41,0	38,0	35,0
EN 100-200/45	45	2900		54,0	55,0	54,0	53,0	52,0	52,0	51,0	50,0	50,0	48,0	46,0	43,0
EN 100-200/55	55	2900		63,0	64,0	63,0	63,0	62,0	62,0	61,0	61,0	60,0	58,0	56,0	54,0
EN 100-250/45	45	2900		60,0	62,0	60,0	58,0	55,0	53,0	51,0	48,0	46,0	40,0	35,0	
EN 100-250/55	55	2900		69,0	71,0	70,0	68,0	65,0	63,0	62,0	60,0	58,0	53,0	48,0	
EN 100-250/75	75	2900		85,0	87,0	86,0	85,0	83,0	82,0	81,0	79,0	78,0	75,0	71,0	66,0
EN 100-250/90	90	2900		98,0	100,0	99,0	99,0	98,0	97,0	97,0	96,0	95,0	93,0	90,0	86,0

Model	Motor Power	Motor Speed	Q (m <sup>3</sup> /h)	0	210	246	282	318	354	372	390	408	426	462	504
	kW	rpm	Q (l/min)	0	3500	4100	4700	5300	5900	6200	6500	6800	7100	7700	8400
EN 125-200/55	55	2900	H (m)	42,0	41,0	41,0	40,0	39,0	38,0	38,0	37,0	36,0	35,0	33,0	29,0
EN 125-200/75	75	2900		58,0	55,0	55,0	54,0	54,0	53,0	52,0	52,0	51,0	50,0	48,0	44,0
EN 125-200/90	90	2900		61,0	58,0	58,0	57,0	57,0	56,0	55,0	55,0	54,0	53,0	51,0	47,0



# EN, EN4

## Monoblock Horizontal Type Single Stage Centrifugal Pumps

Model	Motor Power	Motor Speed	Q (m³/h)	0	3	6	9	12	15	18	21	24				
	kW	rpm	Q (l/min)	0	50	100	150	200	250	300	350	400				
EN4 32-125/0,37	0,37	1450	H (m)	6,2	6,2	6,1	5,8	5,3	4,5	3,3						
EN4 32-125/0,55	0,55	1450		7,3	7,3	7,2	7,1	6,7	5,9	4,9	3,5					
EN4 32-160/0,37	0,37	1450		7,1	7,1	6,9	6,2	5,0	3,2							
EN4 32-160/0,55	0,55	1450		9,3	9,3	9,1	8,6	7,7	6,1	3,9						
EN4 32-160/0,75	0,75	1450		10,5	10,4	10,3	9,9	9,1	7,8	5,9						
EN4 32-200/0,75	0,75	1450		10,8	10,7	10,5	10,1	9,4	8,2	6,4	4,0					
EN4 32-200/1,1	1,1	1450		14,3	14,2	14,1	13,9	13,4	12,5	11,0	9,0	6,1				
EN4 32-200/1,5	1,5	1450		16,7	16,6	16,5	16,4	16,1	15,4	14,3	12,5	10,0				
EN4 32-250/1,1	1,1	1450		14,3	14,3	14,0	13,4	12,1	9,5	5,0						
EN4 32-250/1,5	1,5	1450		18,3	18,3	18,2	17,7	16,8	14,8	11,3						
EN4 32-250/2,2	2,2	1450		24,2	24,1	24,0	23,8	23,4	22,3	20,2	16,3					
EN4 32-250/3	3	1450		25,5	25,4	25,3	25,2	25,0	24,0	22,3	18,9					

Model	Motor Power	Motor Speed	Q (m³/h)	0	6	9	12	15	18	21	24	27	30	33	39
	kW	rpm	Q (l/min)	0	100	150	200	250	300	350	400	450	500	550	650
EN4 40-125/0,37	0,37	1450	H (m)	4,9	4,8	4,6	4,4	4,0	3,3						
EN4 40-125/0,55	0,55	1450		7,4	7,4	7,3	7,1	6,8	6,4	5,7	4,8				
EN4 40-160/0,55	0,55	1450		7,4	7,3	7,3	7,1	6,8	6,4	5,7	4,8	3,6			
EN4 40-160/0,75	0,75	1450		9,2	9,2	9,1	9,0	8,7	8,3	7,8	7,0	6,1	5,0		
EN4 40-160/1,1	1,1	1450		10,6	10,7	10,6	10,5	10,3	10,0	9,5	9,0	8,3	7,4		
EN4 40-200/1,1	1,1	1450		10,2	10,1	10,0	9,9	9,7	9,3	8,7	7,8	6,5			
EN4 40-200/1,5	1,5	1450		13,1	13,1	13,1	12,9	12,7	12,4	11,8	11,1	10,2	9,0	7,5	
EN4 40-200/2,2	2,2	1450		16,8	17,0	16,9	16,8	16,6	16,3	16,0	15,5	14,8	14,2	13,4	11,5
EN4 40-250/2,2	2,2	1450		17,6	17,6	17,5	17,4	17,2	16,9	16,3	15,7	14,8	13,6	12,1	
EN4 40-250/3	3	1450		21,7	21,7	21,7	21,6	21,5	21,3	20,9	20,4	19,8	18,9	17,8	14,7
EN4 40-250/4	4	1450		23,2	23,2	23,2	23,1	23,1	23,0	22,7	22,3	21,7	20,9	19,9	17,1
EN4 40-315/3	3	1450		22,0	21,8	21,6	21,2	20,5	19,6	18,0	16,0	13,3	9,9		
EN4 40-315/4	4	1450		28,2	27,8	27,6	27,4	26,9	26,2	25,0	23,3	21,2	18,2	14,6	
EN4 40-315/5,5	5,5	1450		35,2	34,7	34,7	34,5	34,1	33,7	33,0	31,8	30,3	27,9	25,4	
EN4 40-315/7,5	7,5	1450		38,7	38,3	38,3	38,2	38,0	37,6	37,0	36,0	34,7	32,9	30,5	23,6

Model	Motor Power	Motor Speed	Q (m³/h)	0	15	21	24	27	30	33	36	39	45	51	57
	kW	rpm	Q (l/min)	0	250	350	400	450	500	550	600	650	750	850	950
EN4 50-125/0,55	0,55	1450	H (m)	5,1	4,9	4,6	4,4	4,2	4,0	3,7	3,5	3,2			
EN4 50-125/0,75	0,75	1450		6,6	6,5	6,2	6,1	5,9	5,7	5,5	5,2	4,9	4,1		
EN4 50-125/1,1	1,1	1450		7,4	7,2	7,0	6,9	6,7	6,5	6,3	6,0	5,7	4,9	3,8	
EN4 50-160/0,75	0,75	1450		6,3	6,2	6,0	5,8	5,5	5,3	5,0	4,6	4,1	2,8		
EN4 50-160/1,1	1,1	1450		8,3	8,2	8,1	7,9	7,7	7,5	7,2	6,8	6,5	5,4	4,0	
EN4 50-160/1,5	1,5	1450		10,1	10,1	9,9	9,8	9,7	9,5	9,2	8,9	8,6	7,7	6,6	
EN4 50-160/2,2	2,2	1450		10,7	10,8	10,6	10,5	10,4	10,2	10,0	9,7	9,4	8,6	7,6	6,3
EN4 50-200/1,5	1,5	1450		10,1	10,0	9,8	9,6	9,4	9,1	8,8	8,4	8,0	7,0	5,8	
EN4 50-200/2,2	2,2	1450		13,4	13,3	13,2	13,0	12,9	12,6	12,4	12,1	11,7	10,9	9,9	8,7
EN4 50-200/3	3	1450		16,3	16,3	16,1	16,0	15,8	15,6	15,4	15,2	14,9	14,2	13,4	12,3
EN4 50-250/2,2	2,2	1450		13,8	13,7	13,5	13,3	13,0	12,6	12,2	11,5	10,9	9,3	7,5	
EN4 50-250/3	3	1450		17,3	17,3	17,1	17,0	16,7	16,3	16,0	15,4	14,8	13,4	11,7	10,0
EN4 50-250/4	4	1450		21,2	21,2	21,1	21,0	20,7	20,4	20,0	19,6	19,1	18,0	16,5	15,0
EN4 50-250/5,5	5,5	1450		24,0	24,0	24,0	24,0	23,7	23,5	23,1	22,7	22,2	21,2	20,1	18,7
EN4 50-315/5,5	5,5	1450		27,9	27,9	27,6	27,3	26,6	25,8	24,7	23,4	21,6	17,5	12,0	
EN4 50-315/7,5	7,5	1450		34,6	34,7	34,3	34,2	33,9	33,3	32,7	31,8	30,8	27,8	23,8	18,0
EN4 50-315/11	11	1450		38,5	38,7	38,4	38,2	38,0	37,8	37,3	37,0	36,0	34,0	30,5	25,3

# EN, EN4

## Monoblock Horizontal Type Single Stage Centrifugal Pumps

Model	Motor Power	Motor Speed	Q (m³/h)	0	12	18	24	30	36	48	54	60	72	84	96	
	kW	rpm	Q (l/min)	0	200	300	400	500	600	800	900	1000	1200	1400	1600	
EN4 65-125/0,75	0,75	1450	H (m)	5,6	5,5	5,4	5,3	5,1	4,8	4,0	3,5	2,8				
EN4 65-125/1,1	1,1	1450		6,8	6,8	6,7	6,6	6,3	6,1	5,3	4,7	4,1	2,7			
EN4 65-160/1,1	1,1	1450		7,7	7,6	7,5	7,3	7,2	6,9	6,0	5,3	4,5				
EN4 65-160/1,5	1,5	1450		9,3	9,3	9,3	9,2	9,0	8,8	8,0	7,4	6,7				
EN4 65-160/2,2	2,2	1450		10,5	10,6	10,6	10,5	10,3	10,1	9,4	8,9	8,3	6,7			
EN4 65-200/1,5	1,5	1450		9,3	9,3	9,3	9,1	8,9	8,6	7,6	7,0	6,2				
EN4 65-200/2,2	2,2	1450		11,6	11,7	11,6	11,5	11,4	11,1	10,3	9,7	9,0	7,2			
EN4 65-200/3	3	1450		13,9	14,0	13,9	13,9	13,7	13,5	12,8	12,3	11,8	10,3	8,2		
EN4 65-200/4	4	1450		15,8	15,9	15,9	15,8	15,7	15,6	15,0	14,7	14,2	12,9	11,2		
EN4 65-250/3	3	1450		15,2	15,2	15,1	15,0	14,9	14,6	13,5	12,7	11,5	8,4			
EN4 65-250/4	4	1450		18,2	18,2	18,2	18,1	18,0	17,8	16,9	16,1	15,2	12,5	9,1		
EN4 65-250/5,5	5,5	1450		22,3	22,2	22,2	22,1	22,1	22,0	21,4	20,8	20,1	18,0	15,0	11,0	
EN4 65-250/7,5	7,5	1450		24,1	24,0	24,0	24,0	24,0	23,9	23,4	23,0	22,3	20,5	17,8	14,6	
EN4 65-315/5,5	5,5	1450		22,0	22,1	22,2	22,2	22,2	22,0	21,0	20,1	19,0	15,8	11,8		
EN4 65-315/7,5	7,5	1450		26,0	26,2	26,3	26,4	26,3	26,1	25,3	24,6	23,6	21,0	17,4	12,6	
EN4 65-315/11	11	1450		32,6	33,2	33,4	33,4	33,4	33,2	32,7	32,1	31,5	29,8	27,4	24,0	
EN4 65-315/15	15	1450		36,6	37,5	37,5	37,7	37,5	37,4	37,0	36,7	36,2	35,0	33,2	30,6	
EN4 65-400/15	15	1450		44,0	44,0	44,0	44,0	44,0	43,0	42,0	40,0	39,0	34,0	29,0	22,0	
EN4 65-400/18,5	18,5	1450		51,0	51,0	51,0	51,0	51,0	50,0	49,0	48,0	47,0	43,0	39,0	32,0	
EN4 65-400/22	22	1450		56,0	57,0	57,0	57,0	57,0	56,0	55,0	55,0	54,0	51,0	47,0	40,0	
EN4 65-400/30	30	1450	64,0	64,0	64,0	65,0	65,0	64,0	64,0	63,0	63,0	60,0	57,0	51,0		

Model	Motor Power	Motor Speed	Q (m³/h)	0	24	36	48	54	60	72	84	96	108	138	168	
	kW	rpm	Q (l/min)	0	400	600	800	900	1000	1200	1400	1600	1800	2300	2800	
EN4 80-160/1,5	1,5	1450	H (m)	6,4	6,4	6,2	5,9	5,7	5,4	4,9	4,1	3,3				
EN4 80-160/2,2	2,2	1450		8,3	8,3	8,2	8,0	7,8	7,7	7,2	6,7	6,0	5,2			
EN4 80-160/3	3	1450		10,1	10,0	9,9	9,8	9,7	9,6	9,3	8,9	8,4	7,7	5,3		
EN4 80-200/3	3	1450		11,0	11,0	10,8	10,5	10,2	10,0	9,4	8,7	7,8	6,5			
EN4 80-200/4	4	1450		13,3	13,3	13,1	12,9	12,7	12,6	12,0	11,4	10,5	9,4			
EN4 80-200/5,5	5,5	1450		16,4	16,5	16,4	16,2	16,1	16,0	15,6	15,0	14,3	13,4	10,2		
EN4 80-250/4	4	1450		15,2	15,3	15,3	15,0	14,8	14,5	13,5	12,2	10,4				
EN4 80-250/5,5	5,5	1450		17,6	17,7	17,7	17,5	17,3	17,0	16,3	15,2	13,8	12,0			
EN4 80-250/7,5	7,5	1450		21,1	21,0	21,1	21,0	20,9	20,8	20,3	19,5	18,4	17,1			
EN4 80-250/11	11	1450		24,8	24,9	24,9	24,9	24,9	24,8	24,6	24,2	23,5	22,5	18,6		
EN4 80-315/11	11	1450		29,0	28,8	28,8	28,7	28,5	28,4	27,8	27,0	25,8	24,2			
EN4 80-315/15	15	1450		34,6	34,6	34,6	34,5	34,4	34,2	34,0	33,3	32,4	31,2	27,0		
EN4 80-315/18,5	18,5	1450		37,6	37,6	37,6	37,5	37,4	37,3	37,0	36,5	35,8	34,7	31,0		
EN4 80-400/18,5	18,5	1450		35,0	35,0	35,0	35,0	35,0	35,0	35,0	35,0	34,0	32,0	27,0	20,0	
EN4 80-400/22	22	1450		40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	39,0	37,0	33,0	27,0	
EN4 80-400/30	30	1450		50,0	50,0	50,0	51,0	51,0	51,0	51,0	51,0	50,0	49,0	45,0	40,0	
EN4 80-400/37	37	1450		58,0	58,0	59,0	59,0	59,0	59,0	59,0	59,0	59,0	58,0	55,0	50,0	
EN4 80-400/45	45	1450		63,0	63,0	63,0	64,0	64,0	64,0	64,0	64,0	64,0	63,0	61,0	56,0	



# EN, EN4

## Monoblock Horizontal Type Single Stage Centrifugal Pumps

Model	Motor Power	Motor Speed	Q (m <sup>3</sup> /h)	0	48	60	72	84	96	108	120	138	168	192	216	
	kW	rpm	Q (l/min)	0	800	1000	1200	1400	1600	1800	2000	2300	2800	3200	3600	
EN4 100-160/3	3	1450	H (m)	9,0	9,0	9,0	9,0	8,0	8,0	7,0	7,0	6,0				
EN4 100-160/4	4	1450		12,0	12,0	12,0	11,0	11,0	11,0	10,0	10,0	9,0				
EN4 100-200/4	4	1450		10,0	11,0	11,0	11,0	11,0	10,0	10,0	9,0	8,0	6,0			
EN4 100-200/5,5	5,5	1450		13,0	14,0	14,0	13,0	13,0	13,0	13,0	12,0	12,0	10,0	8,0		
EN4 100-200/7,5	7,5	1450		15,0	15,0	15,0	15,0	15,0	15,0	15,0	15,0	14,0	12,0	11,0	9,0	
EN4 100-250/5,5	5,5	1450		15,0	15,0	15,0	14,0	14,0	13,0	12,0	11,0	9,0				
EN4 100-250/7,5	7,5	1450		18,0	18,0	18,0	18,0	17,0	17,0	16,0	15,0	13,0	9,0			
EN4 100-250/11	11	1450		22,0	22,0	22,0	22,0	22,0	22,0	21,0	20,0	19,0	15,0	12,0		
EN4 100-250/15	15	1450		23,0	23,0	24,0	24,0	24,0	23,0	23,0	22,0	21,0	18,0	14,0	10,0	
EN4 100-315/15	15	1450		27,0	27,0	27,0	27,0	26,0	26,0	26,0	25,0	24,0	21,0	18,0	14,0	
EN4 100-315/18,5	18,5	1450		31,0	31,0	31,0	31,0	30,0	30,0	30,0	29,0	28,0	26,0	24,0	20,0	
EN4 100-315/22	22	1450		35,0	35,0	35,0	35,0	35,0	35,0	35,0	34,0	33,0	32,0	30,0	27,0	
EN4 100-315/30	30	1450		37,0	37,0	37,0	37,0	37,0	36,0	36,0	36,0	35,0	34,0	32,0	30,0	

Model	Motor Power	Motor Speed	Q (m <sup>3</sup> /h)	0	48	72	96	120	168	192	216	240	264	288	312
	kW	rpm	Q (l/min)	0	800	1200	1600	2000	2800	3200	3600	4000	4400	4800	5200
EN4 100-400/30	30	1450	H (m)	41,0	40,0	40,0	40,0	39,0	37,0	34,0	32,0	28,0	25,0	21,0	
EN4 100-400/37	37	1450		46,0	46,0	46,0	46,0	45,0	43,0	41,0	38,0	35,0	32,0	28,0	24,0
EN4 100-400/45	45	1450		53,0	53,0	53,0	52,0	52,0	50,0	48,0	46,0	43,0	40,0	37,0	33,0
EN4 100-400/55	55	1450		59,0	59,0	59,0	59,0	59,0	57,0	55,0	54,0	51,0	49,0	46,0	43,0
EN4 100-400/75	75	1450		64,0	64,0	64,0	64,0	63,0	63,0	61,0	60,0	58,0	56,0	53,0	50,0

Model	Motor Power	Motor Speed	Q (m <sup>3</sup> /h)	0	120	144	168	192	216	240	264	288	312	336	360	
	kW	rpm	Q (l/min)	0	2000	2400	2800	3200	3600	4000	4400	4800	5200	5600	6000	
EN4 125-200/7,5	7,5	1450	H (m)	12,0	11,0	11,0	11,0	11,0	10,0	9,0	8,0	7,0				
EN4 125-200/11	11	1450		14,0	14,0	14,0	14,0	13,0	13,0	12,0	11,0	10,0	9,0	7,0		
EN4 125-250/15	15	1450		17,0	17,0	17,0	17,0	16,0	16,0	15,0	14,0	13,0	12,0	11,0	10,0	
EN4 125-250/18,5	18,5	1450		20,0	20,0	20,0	20,0	20,0	19,0	19,0	18,0	17,0	17,0	15,0	14,0	
EN4 125-250/22	22	1450		22,0	23,0	23,0	22,0	22,0	22,0	22,0	21,0	20,0	20,0	19,0	17,0	
EN4 125-315/18,5	18,5	1450		23,0	23,0	23,0	22,0	22,0	21,0	20,0	18,0	16,0	14,0	12,0	10,0	
EN4 125-315/22	22	1450		26,0	26,0	26,0	26,0	25,0	24,0	23,0	22,0	20,0	18,0	16,0	14,0	
EN4 125-315/30	30	1450		32,0	32,0	32,0	31,0	31,0	30,0	29,0	28,0	27,0	25,0	23,0	21,0	
EN4 125-315/37	37	1450		37,0	37,0	36,0	36,0	36,0	35,0	34,0	33,0	32,0	31,0	29,0	27,0	
EN4 125-315/45	45	1450		39,0	39,0	38,0	38,0	38,0	37,0	36,0	36,0	35,0	33,0	32,0	30,0	
EN4 125-400/37	37	1450		39,0	40,0	40,0	39,0	38,0	37,0	35,0	32,0	30,0	26,0	23,0	19,0	
EN4 125-400/45	45	1450		45,0	46,0	45,0	45,0	44,0	43,0	41,0	39,0	37,0	34,0	31,0	27,0	
EN4 125-400/55	55	1450		51,0	52,0	52,0	51,0	50,0	49,0	48,0	46,0	44,0	42,0	39,0	36,0	
EN4 125-400/75	75	1450		62,0	63,0	63,0	63,0	63,0	62,0	62,0	61,0	59,0	58,0	56,0	53,0	

# EN, EN4

## Monoblock Horizontal Type Single Stage Centrifugal Pumps



Model	Motor Power	Motor Speed	Q (m <sup>3</sup> /h)	0	216	264	288	312	336	360	390	420	450	480	540	
	kW	rpm	Q (l/min)	0	3600	4400	4800	5200	5600	6000	6500	7000	7500	8000	9000	
EN4 150-200/11	11	1450	H (m)	12,0	11,0	10,0	10,0	10,0	9,0	9,0	8,0	7,0				
EN4 150-200/15	15	1450		14,0	13,0	12,0	12,0	12,0	11,0	11,0	10,0	9,0				
EN4 150-250/15	15	1450		15,0	14,0	13,0	13,0	13,0	12,0	12,0	11,0	10,0	9,0	7,0		
EN4 150-250/18,5	18,5	1450		17,0	17,0	16,0	16,0	15,0	15,0	15,0	14,0	13,0	12,0	10,0		
EN4 150-250/22	22	1450		19,0	19,0	19,0	18,0	18,0	18,0	17,0	17,0	16,0	15,0	13,0	10,0	
EN4 150-250/30	30	1450		21,0	21,0	21,0	21,0	20,0	20,0	20,0	19,0	18,0	17,0	16,0	13,0	10,0
EN4 150-315/18,5	18,5	1450		21,0	19,0	18,0	17,0	16,0	15,0	14,0	12,0					
EN4 150-315/22	22	1450		23,0	21,0	20,0	19,0	18,0	17,0	16,0	15,0					
EN4 150-315/30	30	1450		28,0	27,0	26,0	26,0	25,0	24,0	23,0	22,0	20,0	18,0			
EN4 150-315/37	37	1450		32,0	32,0	31,0	30,0	30,0	29,0	28,0	27,0	25,0	23,0	21,0		
EN4 150-315/45	45	1450		36,0	36,0	35,0	35,0	34,0	34,0	33,0	32,0	30,0	29,0	27,0		
EN4 150-315/55	55	1450		38,0	37,0	37,0	36,0	36,0	35,0	35,0	33,0	32,0	31,0	29,0	26,0	
EN4 150-400/45	45	1450		37,0	37,0	35,0	34,0	34,0	33,0	32,0	30,0	29,0	27,0	25,0		
EN4 150-400/55	55	1450		44,0	43,0	42,0	41,0	40,0	39,0	38,0	37,0	36,0	34,0	33,0	29,0	
EN4 150-400/75	75	1450		54,0	53,0	52,0	51,0	51,0	50,0	49,0	48,0	47,0	45,0	43,0	40,0	
EN4 150-400/90	90	1450		61,0	60,0	59,0	59,0	58,0	57,0	57,0	56,0	54,0	53,0	52,0	48,0	

# EN, EN4

## Monoblock Horizontal Type Single Stage Centrifugal Pumps



EN 32-125

EN 32-160



EN 32-200

EN 32-250





# EN, EN4

## Monoblock Horizontal Type Single Stage Centrifugal Pumps



**EN 40-125**

**EN 40-160**



**EN 40-200**

**EN 40-250**





# EN, EN4

## Monoblock Horizontal Type Single Stage Centrifugal Pumps



**EN 50-125**

**EN 50-160**



**EN 50-200**

**EN 50-250**





# EN, EN4

## Monoblock Horizontal Type Single Stage Centrifugal Pumps



**EN 65-125**

**EN 65-160**



**EN 65-200**

**EN 65-250**







# EN, EN4

## Monoblock Horizontal Type Single Stage Centrifugal Pumps



**EN 80-160**

**EN 80-200**



**EN 80-250**

**EN 100-160**





# EN, EN4


## Monoblock Horizontal Type Single Stage Centrifugal Pumps

**EN 100-200**

**EN 100-250**



**EN 125-200**





# EN, EN4

## Monoblock Horizontal Type Single Stage Centrifugal Pumps



**EN4 32-125**

**EN4 32-160**



**EN4 32-200**

**EN4 32-250**





# EN, EN4

## Monoblock Horizontal Type Single Stage Centrifugal Pumps



**EN4 40-125**

**EN4 40-160**



**EN4 40-200**

**EN4 40-250**





# EN, EN4

## Monoblock Horizontal Type Single Stage Centrifugal Pumps



**EN4 40-315**

**EN4 50-125**



**EN4 50-160**

**EN4 50-200**







# EN, EN4

## Monoblock Horizontal Type Single Stage Centrifugal Pumps



**EN4 50-250**

**EN4 50-315**



**EN4 65-125**

**EN4 65-160**







# EN, EN4

## Monoblock Horizontal Type Single Stage Centrifugal Pumps



**EN4 65-200**

**EN4 65-250**



**EN4 65-315**

**EN4 65-400**





# EN, EN4

## Monoblock Horizontal Type Single Stage Centrifugal Pumps



**EN4 80-160**

**EN4 80-200**



**EN4 80-250**

**EN4 80-315**





# EN, EN4

## Monoblock Horizontal Type Single Stage Centrifugal Pumps



**EN4 80-400**

**EN4 100-160**



**EN4 100-200**


**EN4 100-250**




# EN, EN4

## Monoblock Horizontal Type Single Stage Centrifugal Pumps


**EN4 100-315**




**EN4 125-200**



**EN4 125-250**



**EN4 125-315**





# EN, EN4

## Monoblock Horizontal Type Single Stage Centrifugal Pumps



**EN4 125-400**

**EN4 150-200**



**EN4 150-250**

**EN4 150-315**






# EN, EN4

## Monoblock Horizontal Type Single Stage Centrifugal Pumps

### EN4 150-400









**EBITT EUROPE KFT**  
H-6782 Mórahalom, Szegedi út 108. Hungary  
Phone: +3662-280-926 Fax: +3662-280-927  
export@ebitteurope.com  
www.ebitteurope.com

**EBITT ASIA PACIFIC PTE LTD**  
(EAP Singapore)  
226 Jalan Eunos #04-128. Singapore 415869  
Phone: (65) 98393745  
info@ebitt-asiapac.com



**EBITME PUMPS ENGINES VALVES & SPARE PARTS TRADING CO. L.L.C.**  
ALSUAIDI, Al Suwaidi Bldg, Al Murar - Deira  
P.O. Box 453929 Dubai, UAE  
emea@ebitteurope.com  
+971 55-454 4187



**EBITT FINDUSTRIE (ZHE JIANG) INDUSTRIAL  
ENGINEERING LIMITED COMPANY**  
Hangzhou City, Zhejiang Province, China  
info@ebitt.com.cn  
+86 15168651662

**EBITT TÜRKİYE**  
Koçullu Mah. Doğru Sok. No:6  
34799 Çekmeköy / İstanbul  
info@ebitt.com.tr  
www.ebitt.com.tr

