



# MGH / MGH4

Horizontal, Multi-Staged Centrifugal Pump





## **EBITT was born from “an idea” and turned into “an ideal”**

EBITT operates as a specialized organization with knowledge and experience in the field of pump and fluid technologies that will correctly interpret the demands of the Turkish and global market and develop right solutions by analyzing the differences in requirements well.

Ebitt was founded with the aim of being the ideal intersection point of supply and demand in the field of fluid technologies, not just being an organization that develops and markets products and technologies, but an all-around business model that can meet expectations at the highest level.

Ebitt is a perspective on the business world, a business model and a spirit.. In other words, Ebitt was founded on the basis of human resources capital, which aims at producing sustainability, permanence, expertise in business life and transferring this expertise like a relay race, rather than a classical capital basis.

For Ebitt, “innovation” is not just a step forward in the technology of devices and systems that it undertakes to produce and sell. For EBITT, innovation approach, i.e. creative innovation, takes the notion of versatile responsibility as the starting point: creating added value by meeting customer expectations at the top level, fully reflecting in “business” the benefits of new technologies brought to life, making no compromises on health and security conditions by considering the value and respect given to individuals as the guideline for business processes... Thus, every “creative innovation” developed as a combination of these criteria is innovation for EBITT and the driving force for EBITT is this understanding of innovation.

For EBITT, “quality” is a standard offered without demand in areas where water and other fluids are involved, that is, throughout life. EBITT, together with its suppliers and customers as well as teammates who have adopted the philosophy of EBITT, finds it successful to be in a sustainable “win-win” relationship.

With this understanding, EBITT has created a range of products from basic devices and systems to equipment with process-specific needs in all areas where water and fluid technologies are used, such as residences, industrial facilities, service buildings and facilities, agriculture, irrigation, swimming pools, treatment facilities and specific processes.


In this wide range of products and services, apart from standard manufactured devices and systems, there are also solutions specific to “business” that can provide maximum added value.

Because we claim that the most ideal solution is not always the highest budget solution, but the “most rational solution” that optimises the needs at best.

EBITT wants to be a “solution provider” in a relationship based on trust. It believes that it has the differences and values that deserve this, that it is dynamic and flexible enough to meet variable needs.

# MGH / MGH4

## Horizontal, Multi-Staged Centrifugal Pump



### Construction

Centrifugal pump with suction and discharge connections in off-line radial design. Stages and casing assembled by external tie-bolts. Sealed by mechanical seals.

Pump-motor connection by semi-elastic coupling without spacer, coupling with spacer available in option.

Pump with axial suction port available for some models. (MGH-EIMGH4-E versions)

Rated speed of rotation (50 Hz):

**MGH** = 2900 1/min.

**MGH4** = 1450 1/min.

**Connections:** PN 16 suction flanges EN 1092-2. PN 40 (PN 64) discharge flanges EN 1092-2. Max.working pressure 30 (50) bar

#### Shaft sealing:

- Standardized mechanical seal in accordance with ISO 3069.
- Stuffing box seal or different mechanical seals (on request).

### Operating Conditions

Liquid temperature from -20°C to + 120°C. (standard mechanical seal)

Ambient temperature up to 40°C. Total suction lift up to 7 m.

Maximum permissible working pressure up to 30/50 bar.

### Pump-Motor Unit

MGH, MGH4 pump connected to a standard electric motor in B3 construction form (IEC 72), IP 54 protection, three-phase 400 V, 50 Hz by means of a baseplate, driven by a flexible coupling and with coupling protection.

### Applications

- For clean liquids, without abrasives, which are non-aggressive for the pump materials (contents of solids up to 0.2%).
- For water supply.
- For pressure boosting.
- For heating, air conditioning, cooling and circulation plants. For civil and industrial applications and for agriculture.
- For fire fighting applications.
- For irrigation.
- Boiler feeding

### Special Features on Request

- Special mechanical seal.
- Different construction materials for specific applications.
- Higher or lower liquid or ambient temperatures.
- Other motor protection.
- Explosion proof motor.
- Motor for other voltage.
- Frequency 60 Hz (as per 60 Hz data sheet).

### Materials

Suction/discharge casing	GG25
Interstage casing	(Optional GGG 40 / AISI 304 / AISI 316 / Bronze)
Impeller	AISI 316 / Bronze
Pump shaft	AISI 420 (Optional AISI 304 / AISI 316)
Shaft sleeve	AISI 304 (Optional AISI 316 i Bronze)
Mechanical seal	Silicon Carbide / Carbon Graphite*
Baseplate	DIN 17100 - St 37, epoxy coated
Coupling guard	EN 294 / DIN 31001, epoxy coated

\* Dillerent mechanical seals or soft gland packed sealings are coupling and with coupling protection.



# MGH / MGH4

## Horizontal, Multi-Staged Centrifugal Pump

### Composition of MGH Series Pump

#### Connection


##### MGH series

Horizontal pump with bare shaft.  
Radial suction and discharge connections.



##### MGH-E series

Horizontal pump with bare shaft.  
Axial suction and radial discharge connections.




S9/D3, S0/D0 and S3/D9 positions are available only from 3 stages for sizes 32 to 125

#### Measurements of flanges

Type	Suction flange DIN 2533/PN16						Discharge Flange DIN 2535/PN40					
MGH	Size	ØD	Øk	Ød	n		Size	ØD	Øk	Ød	n	
32	DN 40	150	110	18	4		DN 32	140	100	18	4	
40	DN 50	165	125	18	4		DN 40	150	110	18	4	
50	DN 65	185	145	18	4		DN 50	165	125	18	4	
65	DN 80	200	160	18	8		DN 65	185	145	18	8	
80	DN 100	220	180	18	8		DN 80	200	160	18	8	
100	DN 125	250	210	18	8		DN 100	235	190	23	8	
125	DN 150	285	240	23	8		DN 125	270	220	27	8	
150	DN 200	340	295	23	12		DN 150	300	250	27	8	
200	DN 250	405	355	27	12		DN 200	375	320	30	12	
MGH-E	Size	ØD	Øk	Ød	n		Size	ØD	Øk	Ød	n	
80	DN 125	250	210	18	8		DN 80	200	160	18	8	
100	DN 150	285	240	23	8		DN 100	235	190	23	8	
125	DN 200	340	295	23	12		DN 125	270	220	27	8	
150	DN 200	340	295	23	12		DN 150	300	250	27	8	

#### Max. Number of Stages

Type	1450 rpm		2900 rpm	
	MGH	MGH-E	MGH	MGH-E
MGH 32	14	-	13	-
MGH 40	13	-	12	-
MGH 50	12	-	10	-
MGH 65	11	-	10	-
MGH 80	15	8	6	3
MGH 100	15	10	-	-
MGH 125	12	8	-	-
MGH 150	10	5	-	-
MGH 200	6	-	-	-




#### Unit Assembly

MGH series pumps are supplied fully assembled on a common baseplate, complete with electric motor, coupling and coupling guard.

Baseplates are constructed by welding DIN 17100-St 37 sheet metals and profiles, epoxy coated.

Coupling guards are in compliance with European Standard EN 294 and DIN 31001, also epoxy coated.

The drive motor and pump shaft is coupled by semi-elastic coupling without spacer.



# MGH / MGH4

## Horizontal, Multi-Staged Centrifugal Pump

### Preassembled Mechanical Pumping Systems

Ebitt has created fully assembled, complete pumping systems to provide high quality pressure boosting at less cost and in less space for residential and commercial buildings and for industrial applications.

1 to 3 pieces of centrifugal pumps are supplied on a common base frame as complete, preassembled and tested systems, including suction and discharge manifolds, isolating valves, non-return valves and other parts.

According to user demands, pumping systems can be operated automatically by means of; i.e. pressure, flow, level, temperature or time switches/sensors.



Switches, sensors, gauges, relief valves, safety valves, bypass valves, air venting valves, drain cocks and diaphragm pressure vessel can be mounted on supplied manifolds easily according to demanded functions.

### Scope of supply

- Common base frame
- Suction and discharge manifolds, including vacuum and pressure gauges
- Flanged type increasers on the suction and discharge sides of the pumps
- Non-return valves (one per pump)
- Isolating valves (two per pump)

### Construction Materials


Base frame	Epoxy coated steel (optional AISI 304 or AISI 316)
Manifolds	Electro-galvanised steel (optional AISI 304 or AISI 316)
Increasesers	Electro-galvanised steel (optional AISI 304 or AISI 316)
Isolating valves	Butterfly GG 25 / polyamid coated / EPDM (optional any kind of type and material)
Non-return valves	Disc type DN 32 - DN 250 GGG 40 / AISI 316 (optional any kind of type and material)




# MGH / MGH4

## Horizontal, Multi-Staged Centrifugal Pump

Coverage Chart for MGH4 Series, n=1450 rpm







Coverage Chart for MGH4 Series, n=2900 rpm



# MGH / MGH4

## Horizontal, Multi-Staged Centrifugal Pump

### Characeristic Curves n=2900 1/min











Required drive motor power may be calculated by using the formula:

$$P \text{ (kW)} = \frac{Q \text{ (m}^3\text{/h)} \times H \text{ (m)} \times \rho \text{ (kg/dm}^3\text{)}}{367 \times \eta} \times \text{safety factor}$$

# MGH / MGH4

## Horizontal, Multi-Staged Centrifugal Pump

### Characeristic Curves n=2900 1/min




Required drive motor power may be calculated by using the formula:

$$P \text{ (kW)} = \frac{Q \text{ (m}^3\text{/h)} \times H \text{ (m)} \times \rho \text{ (kg/dm}^3\text{)}}{367 \times \eta} \times \text{safety factor}$$



# MGH / MGH4

## Horizontal, Multi-Staged Centrifugal Pump








Required drive motor power may be calculated by using the formula:

$$P \text{ (kW)} = \frac{Q \text{ (m}^3\text{/h)} \times H \text{ (m)} \times \rho \text{ (kg/dm}^3\text{)}}{367 \times \eta} \times \text{safety factor}$$

# MGH / MGH4

## Horizontal, Multi-Staged Centrifugal Pump




Required drive motor power may be calculated by using the formula:

$$P \text{ (kW)} = \frac{Q \text{ (m}^3/\text{h)} \times H \text{ (m)} \times \rho \text{ (kg/dm}^3\text{)}}{367 \times \eta} \times \text{safety factor}$$

# MGH / MGH4

## Horizontal, Multi-Stage Centrifugal Pump

### Dimensions




Pump type	Motor	DNs [mm]	DNd [mm]	L [mm]	W [mm]	H1 [mm]	H2 [mm]	A1 [mm]	A2 [mm]	L1 [mm]	L2 [mm]	n X M [nXØmm]	W1 [mm]	W2 [mm]	Weight [kg]
MGH4 32/2 - 0.18	63M4B	40	32	750	350	218	370	165	114	100	-	4x12	320	23	83
MGH4 32/2 - 0.25	71M4A	40	32	800	350	218	370	165	114	100	-	4x12	320	23	88
MGH4 32/2 - 0.37	71M4B	40	32	800	350	218	370	165	114	100	-	4x12	320	23	89
MGH 32/2 - 1.5	90S2A	40	32	850	350	218	370	165	114	100	-	4x12	320	23	97
MGH 32/2 - 2.2	90L2A	40	32	850	350	218	370	165	114	100	-	4x12	320	23	99
MGH 32/2 - 3	100L2A	40	32	900	350	218	370	165	114	100	-	4x12	320	23	107
MGH4 32/3 - 0.37	71M4B	40	32	800	350	218	370	165	157	100	-	4x12	320	23	95
MGH4 32/3 - 0.55	80M4A	40	32	850	350	218	370	165	157	100	-	4x12	320	23	99
MGH 32/3 - 3	100L2A	40	32	950	350	218	370	165	157	100	-	4x12	320	23	115
MGH 32/3 - 4	112M2A	40	32	950	350	218	370	165	157	100	-	4x12	320	23	123
MGH 32/3 - 5.5	132S2A	40	32	1000	400	218	370	165	157	100	-	4x12	370	48	132
MGH4 32/4 - 0.37	71M4B	40	32	850	350	218	370	165	200	100	-	4x12	320	23	103
MGH4 32/4 - 0.55	80M4A	40	32	900	350	218	370	165	200	100	-	4x12	320	23	106
MGH4 32/4 - 0.75	80M4B	40	32	900	350	218	370	165	200	100	-	4x12	320	23	107
MGH 32/4 - 3	100L2A	40	32	950	350	218	370	165	200	100	-	4x12	320	23	121
MGH 32/4 - 4	112M2A	40	32	1000	350	218	370	165	200	100	-	4x12	320	23	131
MGH 32/4 - 5.5	132S2A	40	32	1050	400	238	390	165	200	100	-	4x12	360	48	144
MGH 32/4 - 7.5	132S2C	40	32	1050	400	238	390	165	200	100	-	4x14	360	48	151
MGH4 32/5 - 0.55	80M4A	40	32	950	350	218	370	165	243	100	-	4x12	320	23	114
MGH4 32/5 - 0.75	80M4B	40	32	950	350	218	370	165	243	100	-	4x12	320	23	115
MGH4 32/5 - 1.1	90S4A	40	32	950	350	218	370	165	243	100	-	4x12	320	23	117
MGH 32/5 - 4	112M2A	40	32	1050	350	238	390	165	243	100	-	4x12	310	23	143
MGH 32/5 - 5.5	132S2A	40	32	1100	400	238	390	165	243	100	-	4x14	360	48	152
MGH 32/5 - 7.5	132S2C	40	32	1100	400	238	390	165	243	100	-	4x14	360	48	159
MGH4 32/6 - 0.55	80M4A	40	32	950	350	218	370	165	286	100	-	4x12	320	23	120
MGH4 32/6 - 0.75	80M4B	40	32	950	350	218	370	165	286	100	-	4x12	320	23	121
MGH4 32/6 - 1.1	90S4A	40	32	1000	350	218	370	165	286	100	-	4x12	320	23	124
MGH 32/6 - 5.5	132S2A	40	32	1150	400	238	390	165	286	100	-	4x14	360	48	160
MGH 32/6 - 7.5	132S2C	40	32	1150	400	238	390	165	286	100	-	4x14	360	48	167
MGH 32/6 - 11	160M2A	40	32	1300	450	266	418	165	286	150	650	6x12	410	73	204
MGH4 32/7 - 0.75	80M4B	40	32	1000	350	218	370	165	329	100	-	4x12	320	23	128
MGH4 32/7 - 1.1	90S4A	40	32	1050	350	218	370	165	329	100	-	4x12	320	23	132
MGH4 32/7 - 1.5	90L4A	40	32	1050	350	238	390	165	329	100	-	4x12	310	23	138
MGH 32/7 - 5.5	132S2A	40	32	1200	400	238	390	165	329	100	-	4x14	360	48	168
MGH 32/7 - 7.5	132S2C	40	32	1200	400	238	390	165	329	100	-	4x14	360	48	175
MGH 32/7 - 11	160M2A	40	32	1350	450	288	440	165	329	150	675	6x12	405	73	229
MGH4 32/8 - 0.75	80M4B	40	32	1050	350	238	390	165	372	100	-	4x12	310	23	140
MGH4 32/8 - 1.1	90S4A	40	32	1100	350	238	390	165	372	100	-	4x12	310	23	144
MGH4 32/8 - 1.5	90L4A	40	32	1100	350	238	390	165	372	100	-	4x12	310	23	146
MGH 32/8 - 7.5	132S2C	40	32	1250	400	238	390	165	372	150	625	6x12	360	48	183
MGH 32/8 - 11	160M2A	40	32	1350	450	288	440	165	372	150	675	6x12	405	73	235
MGH 32/8 - 15	160M2B	40	32	1350	450	288	440	165	372	150	675	6x12	405	73	242
MGH4 32/9 - 1.1	90S4A	40	32	1150	350	238	390	165	415	100	-	4x14	310	23	152
MGH4 32/9 - 1.5	90L4A	40	32	1150	350	238	390	165	415	100	-	4x14	310	23	154
MGH4 32/9 - 2.2	100L4A	40	32	1200	350	238	390	165	415	100	-	4x14	310	23	164
MGH 32/9 - 7.5	132S2C	40	32	1250	400	238	390	165	415	150	625	6x12	360	48	189
MGH 32/9 - 11	160M2A	40	32	1400	450	288	440	165	415	150	700	6x12	405	73	244
MGH 32/9 - 15	160M2B	40	32	1400	450	288	440	165	415	150	700	6x16	405	73	251

# MGH / MGH4

## Horizontal, Multi-Staged Centrifugal Pump

### Dimensions




Pump type	Motor	DNs [mm]	DNd [mm]	L [mm]	W [mm]	H1 [mm]	H2 [mm]	A1 [mm]	A2 [mm]	L1 [mm]	L2 [mm]	n X M [nXØmm]	W1 [mm]	W2 [mm]	Weight [kg]
MGH4 32/10 - 1.1	90S4A	40	32	1200	350	238	390	165	458	100	-	4x14	310	23	159
MGH4 32/10 - 1.5	90L4A	40	32	1200	350	238	390	165	458	100	-	4x14	310	23	161
MGH4 32/10 - 2.2	100L4A	40	32	1250	350	238	390	165	458	150	625	6x12	310	23	172
MGH 32/10 - 7.5	132S2C	40	32	1300	400	238	390	165	458	150	650	6x12	360	48	197
MGH 32/10 - 11	160M2A	40	32	1450	450	288	440	165	458	150	725	6x16	405	73	253
MGH 32/10 - 15	160M2B	40	32	1450	450	288	440	165	458	150	725	6x16	405	73	260
MGH4 32/11 - 1.1	90S4A	40	32	1200	350	238	390	165	501	100	-	4x14	310	23	165
MGH4 32/11 - 1.5	90L4A	40	32	1200	350	238	390	165	501	100	-	4x14	310	23	167
MGH4 32/11 - 2.2	100L4A	40	32	1250	350	238	390	165	501	150	625	6x12	310	23	178
MGH 32/11 - 11	160M2A	40	32	1500	450	288	440	165	501	150	750	6x16	405	73	262
MGH 32/11 - 15/2	160M2B	40	32	1500	450	288	440	165	501	150	750	6x16	405	73	269
MGH 32/11 - 18.5	160L2A	40	32	1500	450	288	440	165	501	150	750	6x16	405	73	284
MGH4 32/12 - 1.1	90S4A	40	32	1250	350	238	390	165	544	150	625	6x12	310	23	173
MGH4 32/12 - 1.5	90L4A	40	32	1250	350	238	390	165	544	150	625	6x12	310	23	175
MGH4 32/12 - 2.2	100L4A	40	32	1300	350	238	390	165	544	150	650	6x12	310	23	186
MGH 32/12 - 11	160M2A	40	32	1550	450	288	440	165	544	150	775	6x16	405	73	270
MGH 32/12 - 15	160M2B	40	32	1550	450	288	440	165	544	150	775	6x16	405	73	277
MGH 32/12 - 18.5	160L2A	40	32	1550	450	288	440	165	544	150	775	6x16	405	73	292
MGH4 32/13 - 1.5	90L4A	40	32	1300	350	238	390	165	587	150	650	6x12	310	23	183
MGH4 32/13 - 2.2	100L4A	40	32	1350	350	238	390	165	587	150	675	6x12	310	23	194
MGH4 32/13 - 3	100L4B	40	32	1350	350	238	390	165	587	150	675	6x12	310	23	197
MGH 32/13 - 11	160M2A	40	32	1600	450	288	440	165	587	150	800	6x16	405	73	279
MGH 32/13 - 15	160M2B	40	32	1600	450	288	440	165	587	150	800	6x16	405	73	286
MGH 32/13 - 18.5	160L2A	40	32	1600	450	288	440	165	587	150	800	6x16	405	73	301
MGH 32/13 - 22	180M2A	40	32	1650	450	308	460	165	587	150	825	6x16	405	73	327
MGH4 32/14 - 1.5	90L4A	40	32	1350	350	238	390	165	630	150	675	6x12	310	23	191
MGH4 32/14 - 2.2	100L4A	40	32	1400	350	238	390	165	630	150	700	6x12	310	23	202
MGH4 32/14 - 3	100L4B	40	32	1400	350	260	412	165	630	150	700	6x12	305	23	220
MGH4 40/2 - 0.55	80M4A	50	40	800	350	246	421	165	133	100	-	4x12	320	0	112
MGH4 40/2 - 0.75	80M4B	50	40	800	350	246	421	165	133	100	-	4x12	320	0	113
MGH4 40/2 - 1.1	90S4A	50	40	850	350	246	421	165	133	100	-	4x12	320	0	117
MGH 40/2 - 4	112M2A	50	40	950	350	266	441	165	133	100	-	4x12	310	0	142
MGH 40/2 - 5.5	132S2A	50	40	1000	400	266	441	165	133	100	-	4x14	360	25	151
MGH 40/2 - 7.5	132S2C	50	40	1000	400	266	441	165	133	100	-	4x14	360	25	158
MGH 40/2 - 11	160M2A	50	40	1150	450	266	441	165	133	100	-	4x14	410	50	195
MGH4 40/3 - 0.75	80M4B	50	40	850	350	246	421	165	188	100	-	4x12	320	0	124
MGH4 40/3 - 1.1	90S4A	50	40	900	350	266	441	165	188	100	-	4x12	310	0	131
MGH4 40/3 - 1.5	90L4A	50	40	900	350	266	441	165	188	100	-	4x12	310	0	133
MGH4 40/3 - 2.2	100L4A	50	40	950	350	266	441	165	188	100	-	4x12	310	0	143
MGH 40/3 - 5.5	132S2A	50	40	1050	400	266	441	165	188	100	-	4x14	360	25	163
MGH 40/3 - 7.5	132S2C	50	40	1050	400	266	441	165	188	100	-	4x14	360	25	170
MGH 40/3 - 11	160M2A	50	40	1200	450	288	463	165	188	100	-	4x14	405	50	222
MGH 40/3 - 15	160M2B	50	40	1200	450	288	463	165	188	100	-	4x14	405	50	229
MGH4 40/4 - 1.1	90S4A	50	40	950	350	266	441	165	243	100	-	4x12	310	0	143
MGH4 40/4 - 1.5	90L4A	50	40	950	350	266	441	165	243	100	-	4x12	310	0	145
MGH4 40/4 - 2.2	100L4A	50	40	1000	350	266	441	165	243	100	-	4x14	310	0	155
MGH 40/4 - 7.5	132S2C	50	40	1100	400	266	441	165	243	100	-	4x14	360	25	181
MGH 40/4 - 11	160M2A	50	40	1250	450	288	463	165	243	150	625	6x12	405	50	234
MGH 40/4 - 15	160M2B	50	40	1250	450	288	463	165	243	150	625	6x12	405	50	241
MGH 40/4 - 18.5	160L2A	50	40	1250	450	288	463	165	243	150	625	6x16	405	50	256

# MGH / MGH4

## Horizontal, Multi-Staged Centrifugal Pump

### Dimensions




Pump type	Motor	DNs [mm]	DNd [mm]	L [mm]	W [mm]	H1 [mm]	H2 [mm]	A1 [mm]	A2 [mm]	L1 [mm]	L2 [mm]	n X M [nXØmm]	W1 [mm]	W2 [mm]	Weight [kg]
MGH4 40/5 - 1.1	90S4A	50	40	1000	350	266	441	165	298	100	-	4x14	310	0	154
MGH4 40/5 - 1.5	90L4A	50	40	1000	350	266	441	165	298	100	-	4x14	310	0	156
MGH4 40/5 - 2.2	100L4A	50	40	1050	350	266	441	165	298	100	-	4x14	310	0	166
MGH4 40/5 - 3	100L4B	50	40	1050	350	266	441	165	298	100	-	4x14	310	0	169
MGH 40/5 - 11	160M2A	50	40	1300	450	288	463	165	298	150	650	6x12	405	50	246
MGH 40/5 - 15	160M2B	50	40	1300	450	288	463	165	298	150	650	6x16	405	50	253
MGH 40/5 - 18.5	160L2A	50	40	1300	450	288	463	165	298	150	650	6x16	405	50	268
MGH 40/5 - 22	180M2A	50	40	1350	450	308	483	165	298	150	675	6x16	405	50	294
MGH4 40/6 - 1.5	90L4A	50	40	1050	350	266	441	165	353	100	-	4x14	310	0	167
MGH4 40/6 - 2.2	100L4A	50	40	1100	350	266	441	165	353	100	-	4x14	310	0	177
MGH4 40/6 - 3	100L4B	50	40	1100	350	266	441	165	353	100	-	4x14	310	0	180
MGH4 40/6 - 4	112M4B	50	40	1150	350	266	441	165	353	100	-	4x14	310	0	189
MGH 40/6 - 11	160M2A	50	40	1350	450	288	463	165	353	150	675	6x16	405	50	258
MGH 40/6 - 15	160M2B	50	40	1350	450	288	463	165	353	150	675	6x16	405	50	265
MGH 40/6 - 18.5	160L2A	50	40	1350	450	288	463	165	353	150	675	6x16	405	50	280
MGH 40/6 - 22	180M2A	50	40	1400	450	308	483	165	353	150	700	6x16	405	50	306
MGH 40/6 - 30	200L2A	50	40	1450	500	348	523	165	353	150	725	6x16	450	75	355
MGH4 40/7 - 2.2	100L4A	50	40	1200	350	266	441	165	408	100	-	4x14	310	0	191
MGH4 40/7 - 3	100L4B	50	40	1200	350	266	441	165	408	100	-	4x14	310	0	194
MGH4 40/7 - 4	112M4B	50	40	1200	400	288	463	165	408	100	-	4x14	355	25	218
MGH 40/7 - 15	160M2B	50	40	1400	450	288	463	165	408	150	700	6x16	405	50	278
MGH 40/7 - 18.5	160L2A	50	40	1400	450	288	463	165	408	150	700	6x16	405	50	293
MGH 40/7 - 22	180M2A	50	40	1450	450	308	483	165	408	150	725	6x16	405	50	318
MGH 40/7 - 30	200L2A	50	40	1500	500	348	523	165	408	150	750	6x16	450	75	368
MGH4 40/8 - 2.2	100L4A	50	40	1250	350	288	463	165	463	150	625	6x12	305	0	216
MGH4 40/8 - 3	100L4B	50	40	1250	350	288	463	165	463	150	625	6x12	305	0	219
MGH4 40/8 - 4	112M4B	50	40	1250	400	288	463	165	463	150	625	6x12	355	25	230
MGH4 40/8 - 5.5	132S4C	50	40	1300	400	288	463	165	463	150	650	6x12	355	25	240
MGH 40/8 - 15	160M2B	50	40	1450	450	288	463	165	463	150	725	6x16	405	50	290
MGH 40/8 - 18.5	160L2A	50	40	1450	450	288	463	165	463	150	725	6x16	405	50	305
MGH 40/8 - 22	180M2A	50	40	1500	450	308	483	165	463	150	750	6x16	405	50	331
MGH 40/8 - 30	200L2A	50	40	1550	500	348	523	165	463	150	775	6x16	450	75	380
MGH 40/8 - 37	200L2B	50	40	1550	500	348	523	165	463	150	775	6x16	450	75	399
MGH4 40/9 - 2.2	100L4A	50	40	1300	350	288	463	165	518	150	650	6x12	305	0	228
MGH4 40/9 - 3	100L4B	50	40	1300	350	288	463	165	518	150	650	6x12	305	0	231
MGH4 40/9 - 4	112M4B	50	40	1300	400	288	463	165	518	150	650	6x12	355	25	242
MGH4 40/9 - 5.5	132S4C	50	40	1350	400	288	463	165	518	150	675	6x16	355	25	253
MGH 40/9 - 18.5	160L2A	50	40	1500	450	288	463	165	518	150	750	6x16	405	50	317
MGH 40/9 - 22	180M2A	50	40	1550	450	328	503	165	518	150	775	6x16	400	50	351
MGH 40/9 - 30	200L2A	50	40	1600	500	348	523	165	518	150	800	6x16	450	75	393
MGH 40/9 - 37	200L2B	50	40	1600	500	348	523	165	518	150	800	6x18	450	75	412
MGH4 40/10 - 2.2	100L4A	50	40	1350	350	288	463	165	573	150	675	6x12	305	0	240
MGH4 40/10 - 3	100L4B	50	40	1350	350	288	463	165	573	150	675	6x12	305	0	243
MGH4 40/10 - 4	112M4B	50	40	1350	400	288	463	165	573	150	675	6x16	355	25	254
MGH4 40/10 - 5.5	132S4C	50	40	1400	400	288	463	165	573	150	700	6x16	355	25	265
MGH 40/10 - 18.5	160L2A	50	40	1550	450	288	463	165	573	150	775	6x16	405	50	329
MGH 40/10 - 22	180M2A	50	40	1600	450	328	503	165	573	150	800	6x16	400	50	363
MGH 40/10 - 30	200L2A	50	40	1650	500	348	523	165	573	150	825	6x18	450	75	406
MGH 40/10 - 37	200L2B	50	40	1650	500	348	523	165	573	150	825	6x18	450	75	425
MGH 40/10 - 45	225M2A	50	40	1700	550	375	550	165	573	150	850	6x18	500	100	487



# MGH / MGH4

## Horizontal, Multi-Staged Centrifugal Pump

### Dimensions




Pump type	Motor	DN <sub>s</sub> [mm]	DN <sub>d</sub> [mm]	L [mm]	W [mm]	H1 [mm]	H2 [mm]	A1 [mm]	A2 [mm]	L1 [mm]	L2 [mm]	n X M [mm]	W1 [mm]	W2 [mm]	Weight [kg]
MGH4 40/11 - 3	100L4B	50	40	1400	350	288	463	165	628	150	700	6x16	305	0	255
MGH4 40/11 - 4	112M4B	50	40	1450	400	288	463	165	628	150	725	6x16	355	25	269
MGH4 40/11 - 5.5	132S4C	50	40	1500	400	288	463	165	628	150	750	6x16	355	25	279
MGH4 40/11 - 7.5	132M4B	50	40	1500	400	288	463	165	628	150	750	6x16	355	25	300
MGH 40/11 - 22	180M2A	50	40	1650	450	328	503	165	628	150	825	6x16	400	50	376
MGH 40/11 - 30	200L2A	50	40	1700	500	348	523	165	628	150	850	6x18	450	75	418
MGH 40/11 - 37	200L2B	50	40	1700	500	348	523	165	628	150	850	6x18	450	75	437
MGH 40/11 - 45	225M2A	50	40	1800	550	375	550	165	628	150	900	6x18	500	100	504
MGH4 40/12 - 3	100L4B	50	40	1450	350	288	463	165	683	150	725	6x16	305	0	267
MGH4 40/12 - 4	112M4B	50	40	1500	400	288	463	165	683	150	750	6x16	355	25	281
MGH4 40/12 - 5.5	132S4C	50	40	1550	400	288	463	165	683	150	775	6x16	355	25	291
MGH4 40/12 - 7.5	132M4B	50	40	1550	400	288	463	165	683	150	775	6x16	355	25	312
MGH 40/12 - 22	180M2A	50	40	1700	450	328	503	165	683	150	850	6x16	400	50	388
MGH 40/12 - 30	200L2A	50	40	1750	500	348	523	165	683	150	875	6x18	450	75	431
MGH 40/12 - 37	200L2B	50	40	1750	500	348	523	165	683	150	875	6x18	450	75	450
MGH 40/12 - 45	225M2A	50	40	1850	550	375	550	165	683	150	925	6x18	500	100	517
MGH 40/12 - 55	250M2A	50	40	1900	600	400	575	165	683	150	950	6x18	550	125	557
MGH4 40/13 - 3	100L4B	50	40	1500	350	288	463	165	738	150	750	6x16	305	0	279
MGH4 40/13 - 4	112M4B	50	40	1550	400	288	463	165	738	150	775	6x16	355	25	293
MGH4 40/13 - 5.5	132S4C	50	40	1600	400	288	463	165	738	150	800	6x16	355	25	304
MGH4 40/13 - 7.5	132M4B	50	40	1650	400	288	463	165	738	150	825	6x16	355	25	327
MGH4 50/2 - 1.1	90S4A	65	50	900	400	266	456	175	152	100	-	4x14	360	10	160
MGH4 50/2 - 1.5	90L4A	65	50	900	400	266	456	175	152	100	-	4x14	360	10	162
MGH4 50/2 - 2.2	100L4A	65	50	950	400	266	456	175	152	100	-	4x14	360	10	172
MGH 50/2 - 7.5	132S2C	65	50	1050	400	288	478	175	152	100	-	4x14	355	10	211
MGH 50/2 - 11	160M2A	65	50	1200	450	288	478	175	152	100	-	4x16	405	35	250
MGH 50/2 - 15	160M2B	65	50	1200	450	288	478	175	152	100	-	4x16	405	35	257
MGH4 50/3 - 1.5	90L4A	65	50	950	400	266	456	175	214	100	-	4x14	360	10	177
MGH4 50/3 - 2.2	100L4A	65	50	1000	400	266	456	175	214	100	-	4x14	360	10	187
MGH4 50/3 - 3	100L4B	65	50	1000	400	288	478	175	214	100	-	4x14	355	10	201
MGH 50/3 - 11	160M2A	65	50	1250	450	288	478	175	214	150	625	6x16	405	35	266
MGH 50/3 - 15	160M2B	65	50	1250	450	288	478	175	214	150	625	6x16	405	35	273
MGH 50/3 - 18.5	160L2A	65	50	1250	450	288	478	175	214	150	625	6x16	405	35	288
MGH 50/3 - 22	180M2A	65	50	1300	450	308	498	175	214	150	650	6x16	405	35	314
MGH4 50/4 - 2.2	100L4A	65	50	1050	400	288	478	175	276	100	-	4x14	355	10	213
MGH4 50/4 - 3	100L4B	65	50	1050	400	288	478	175	276	100	-	4x14	355	10	216
MGH4 50/4 - 4	112M4B	65	50	1100	400	288	478	175	276	100	-	4x14	355	10	229
MGH 50/4 - 15	160M2B	65	50	1300	450	288	478	175	276	150	650	6x16	405	35	289
MGH 50/4 - 18.5	160L2A	65	50	1300	450	288	478	175	276	150	650	6x16	405	35	304
MGH 50/4 - 22	180M2A	65	50	1350	450	328	518	175	276	150	675	6x16	400	35	336
MGH 50/4 - 30	200L2A	65	50	1400	500	348	538	175	276	150	700	6x16	450	60	378
MGH4 50/5 - 2.2	100L4A	65	50	1150	400	288	478	175	338	100	-	4x14	355	10	231
MGH4 50/5 - 3	100L4B	65	50	1150	400	288	478	175	338	100	-	4x14	355	10	234
MGH4 50/5 - 4	112M4B	65	50	1150	400	288	478	175	338	100	-	4x14	355	10	245
MGH4 50/5 - 5.5	132S4C	65	50	1200	400	288	478	175	338	100	-	4x16	355	10	255
MGH 50/5 - 18.5	160L2A	65	50	1350	450	288	478	175	338	150	675	6x16	405	35	319
MGH 50/5 - 22	180M2A	65	50	1400	450	328	518	175	338	150	700	6x16	400	35	352
MGH 50/5 - 30	200L2A	65	50	1450	500	348	538	175	338	150	725	6x16	450	60	394
MGH 50/5 - 37	200L2B	65	50	1450	500	348	538	175	338	150	725	6x18	450	60	413

# MGH / MGH4

## Horizontal, Multi-Stage Centrifugal Pump

### Dimensions




Pump type	Motor	DNs [mm]	DNd [mm]	L [mm]	W [mm]	H1 [mm]	H2 [mm]	A1 [mm]	A2 [mm]	L1 [mm]	L2 [mm]	n X M [nXØmm]	W1 [mm]	W2 [mm]	Weight [kg]
MGH4 50/6 - 3	100L4B	65	50	1200	400	288	478	175	400	100	-	4x16	355	10	250
MGH4 50/6 - 4	112M4B	65	50	1200	400	288	478	175	400	100	-	4x16	355	10	260
MGH4 50/6 - 5,5	132S4C	65	50	1300	400	288	478	175	400	150	650	6x16	355	10	273
MGH4 50/6 - 7,5	132M4B	65	50	1300	400	288	478	175	400	150	650	6x16	355	10	294
MGH 50/6 - 22	180M2A	65	50	1450	450	328	518	175	400	150	725	6x16	400	35	368
MGH 50/6 - 30	200L2A	65	50	1500	500	348	538	175	400	150	750	6x18	450	60	410
MGH 50/6 - 37	200L2B	65	50	1500	500	348	538	175	400	150	750	6x18	450	60	429
MGH 50/6 - 45	225M2A	65	50	1550	550	375	565	175	400	150	775	6x18	500	85	490
MGH4 50/7 - 3	100L4B	65	50	1250	400	288	478	175	462	150	625	6x16	355	10	265
MGH4 50/7 - 4	112M4B	65	50	1300	400	288	478	175	462	150	650	6x16	355	10	278
MGH4 50/7 - 5,5	132S4C	65	50	1350	400	288	478	175	462	150	675	6x16	355	10	289
MGH4 50/7 - 7,5	132M4B	65	50	1400	400	288	478	175	462	150	700	6x16	355	10	313
MGH 50/7 - 30	200L2A	65	50	1550	500	348	538	175	462	150	775	6x18	450	60	426
MGH 50/7 - 37	200L2B	65	50	1550	500	348	538	175	462	150	775	6x18	450	60	445
MGH 50/7 - 45	225M2A	65	50	1650	550	375	565	175	462	150	825	6x18	500	85	510
MGH 50/7 - 55	250M2A	65	50	1700	600	400	590	175	462	150	850	6x18	550	110	549
MGH4 50/8 - 4	112M4B	65	50	1350	400	288	478	175	524	150	675	6x16	355	10	294
MGH4 50/8 - 5,5	132S4C	65	50	1400	400	288	478	175	524	150	700	6x16	355	10	305
MGH4 50/8 - 7,5	132M4B	65	50	1450	400	308	498	175	524	150	725	6x16	350	10	336
MGH4 50/8 - 11	160M4B	65	50	1550	450	308	498	175	524	150	775	6x16	400	35	362
MGH 50/8 - 30	200L2A	65	50	1650	500	348	538	175	524	150	825	6x18	450	60	446
MGH 50/8 - 37	200L2B	65	50	1650	500	350	540	175	524	150	825	6x18	450	60	478
MGH 50/8 - 45	225M2A	65	50	1700	550	375	565	175	524	150	850	6x18	500	85	527
MGH 50/8 - 55	250M2A	65	50	1750	600	400	590	175	524	150	875	6x18	550	110	566
MGH 50/8 - 75	280S2	65	50	1900	650	452	642	175	524	150	950	6x20	595	135	921
MGH4 50/9 - 4/4	112M4B	65	50	1400	400	288	478	175	586	150	700	6x16	355	10	310
MGH4 50/9 - 5,5/4	132S4C	65	50	1450	400	288	478	175	586	150	725	6x16	355	10	320
MGH4 50/9 - 7,5/4	132M4B	65	50	1500	400	308	498	175	586	150	750	6x16	350	10	352
MGH4 50/9 - 11/4	160M4B	65	50	1600	450	308	498	175	586	150	800	6x16	400	35	378
MGH 50/9 - 30/2	200L2A	65	50	1700	500	350	540	175	586	150	850	6x18	450	60	475
MGH 50/9 - 37/2	200L2B	65	50	1700	500	350	540	175	586	150	850	6x18	450	60	494
MGH 50/9 - 45/2	225M2A	65	50	1750	550	375	565	175	586	150	875	6x18	500	85	544
MGH 50/9 - 55/2	250M2A	65	50	1800	600	400	590	175	586	150	900	6x18	550	110	583
MGH 50/9 - 75/2	280S2	65	50	2000	650	452	642	175	586	150	1000	6x20	595	135	944
MGH4 50/10 - 4	112M4B	65	50	1450	400	308	498	175	648	150	725	6x16	350	10	333
MGH4 50/10 - 5,5	132S4C	65	50	1500	400	308	498	175	648	150	750	6x16	350	10	344
MGH4 50/10 - 7,5	132M4B	65	50	1550	400	308	498	175	648	150	775	6x16	350	10	368
MGH4 50/10 - 11	160M4B	65	50	1650	450	308	498	175	648	150	825	6x16	400	35	394
MGH 50/10 - 37	200L2B	65	50	1750	500	350	540	175	648	150	875	6x18	450	60	511
MGH 50/10 - 45	225M2A	65	50	1800	550	375	565	175	648	150	900	6x18	500	85	560
MGH 50/10 - 55	250M2A	65	50	1850	600	420	610	175	648	150	925	6x18	545	110	611
MGH 50/10 - 75	280S2	65	50	2050	650	452	642	175	648	150	1025	6x20	595	135	962
MGH4 50/11 - 5,5	132S4C	65	50	1600	400	308	498	175	710	150	800	6x16	350	10	362
MGH4 50/11 - 7,5	132M4B	65	50	1650	400	308	498	175	710	150	825	6x16	350	10	386
MGH4 50/11 - 11	160M4B	65	50	1750	450	308	498	175	710	150	875	6x18	400	35	413
MGH4 50/12 - 5,5	132S4C	65	50	1650	400	308	498	175	772	150	825	6x16	350	10	378
MGH4 50/12 - 7,5	132M4B	65	50	1700	400	308	498	175	772	150	850	6x18	350	10	402
MGH4 50/12 - 11	160M4B	65	50	1800	450	308	498	175	772	150	900	6x18	400	35	429
MGH4 50/12 - 15	160L4A	65	50	1800	450	308	498	175	772	150	900	6x18	400	35	443

# MGH / MGH4

## Horizontal, Multi-Staged Centrifugal Pump

### Dimensions




Pump type	Motor	DNs [mm]	DNd [mm]	L [mm]	W [mm]	H1 [mm]	H2 [mm]	A1 [mm]	A2 [mm]	L1 [mm]	L2 [mm]	n X M [nXØmm]	W1 [mm]	W2 [mm]	Weight [kg]
MGH4 65/2 - 2.2	100L4A	80	65	1000	450	308	523	195	178	100	-	4x14	405	10	202
MGH4 65/2 - 3	100L4B	80	65	1000	450	308	523	195	178	100	-	4x14	405	10	205
MGH4 65/2 - 4	112M4B	80	65	1050	450	308	523	195	178	100	-	4x14	405	10	218
MGH 65/2 - 18.5	160L2A	80	65	1250	450	308	523	195	178	150	625	6x16	405	10	292
MGH 65/2 - 22	180M2A	80	65	1300	450	308	523	195	178	150	650	6x16	405	10	318
MGH 65/2 - 30	200L2A	80	65	1300	500	348	563	195	178	150	650	6x16	450	35	362
MGH 65/2 - 37	200L2B	80	65	1300	500	348	563	195	178	150	650	6x16	450	35	381
MGH4 65/3 - 4	112M4B	80	65	1100	450	308	523	195	249	100	-	4x14	405	10	240
MGH4 65/3 - 5.5	132S4C	80	65	1150	450	308	523	195	249	100	-	4x16	405	10	251
MGH4 65/3 - 7.5	132M4B	80	65	1200	450	308	523	195	249	100	-	4x16	405	10	274
MGH 65/3 - 30	200L2A	80	65	1400	500	348	563	195	249	150	700	6x16	450	35	389
MGH 65/3 - 37	200L2B	80	65	1400	500	348	563	195	249	150	700	6x18	450	35	408
MGH 65/3 - 45	225M2A	80	65	1450	550	375	590	195	249	150	725	6x18	500	60	467
MGH 65/3 - 55	250M2A	80	65	1500	600	400	615	195	249	150	750	6x18	550	85	506
MGH4 65/4 - 5.5	132S4C	80	65	1250	450	308	523	195	320	150	625	6x16	405	10	276
MGH4 65/4 - 7.5	132M4B	80	65	1250	450	308	523	195	320	150	625	6x16	405	10	297
MGH4 65/4 - 11	160M4B	80	65	1400	450	308	523	195	320	150	700	6x16	405	10	325
MGH 65/4 - 37	200L2B	80	65	1450	500	348	563	195	320	150	725	6x18	450	35	431
MGH 65/4 - 45	225M2A	80	65	1550	550	375	590	195	320	150	775	6x18	500	60	495
MGH 65/4 - 55	250M2A	80	65	1600	600	400	615	195	320	150	800	6x18	550	85	534
MGH 65/4 - 75	280S2	80	65	1750	650	452	667	195	320	150	875	6x20	595	110	885
MGH4 65/5 - 5.5	132S4C	80	65	1300	450	308	523	195	391	150	650	6x16	405	10	298
MGH4 65/5 - 7.5	132M4B	80	65	1350	450	328	543	195	391	150	675	6x16	400	10	329
MGH4 65/5 - 11	160M4B	80	65	1450	450	328	543	195	391	150	725	6x16	400	10	355
MGH 65/5 - 45	225M2A	80	65	1600	550	375	590	195	391	150	800	6x18	500	60	518
MGH 65/5 - 55	250M2A	80	65	1650	600	400	615	195	391	150	825	6x18	550	85	558
MGH 65/5 - 75	280S2	80	65	1800	650	452	667	195	391	150	900	6x20	595	110	910
MGH 65/5 - 90	280M2	80	65	1900	650	452	667	195	391	150	950	6x20	595	110	970
MGH4 65/6 - 7.5	132M4B	80	65	1400	450	328	543	195	462	150	700	6x16	400	10	352
MGH4 65/6 - 11	160M4B	80	65	1500	450	328	543	195	462	150	750	6x16	400	10	378
MGH4 65/6 - 15	160L4A	80	65	1500	450	328	543	195	462	150	750	6x16	400	10	392
MGH 65/6 - 55	250M2A	80	65	1700	600	400	615	195	462	150	850	6x18	550	85	581
MGH 65/6 - 75	280S2	80	65	1900	650	452	667	195	462	150	950	6x20	595	110	940
MGH 65/6 - 90	280M2	80	65	1950	650	472	687	195	462	150	975	6x20	590	110	1007
MGH 65/6 - 110	315S2	80	65	2000	700	507	722	195	462	150	1000	6x20	640	135	1219
MGH4 65/7 - 7.5	132M4B	80	65	1500	450	328	543	195	533	150	750	6x16	400	10	378
MGH4 65/7 - 11	160M4B	80	65	1600	450	328	543	195	533	150	800	6x18	400	10	404
MGH4 65/7 - 15	160L4A	80	65	1600	450	328	543	195	533	150	800	6x18	400	10	418
MGH 65/7 - 75	280S2	80	65	1950	650	452	667	195	533	150	975	6x20	595	110	965
MGH 65/7 - 90	280M2	80	65	2000	650	472	687	195	533	150	1000	6x20	590	110	1032
MGH 65/7 - 110	315S2	80	65	2100	700	507	722	195	533	150	1050	6x20	640	135	1250
MGH4 65/8 - 11	160M4B	80	65	1650	450	328	543	195	604	150	825	6x18	400	10	427
MGH4 65/8 - 15	160L4A	80	65	1650	450	328	543	195	604	150	825	6x18	400	10	441
MGH4 65/8 - 18.5	180M4B	80	65	1700	450	330	545	195	604	150	850	6x18	400	10	485
MGH 65/8 - 75	280S2	80	65	2050	650	452	667	195	604	150	1025	6x20	595	110	995
MGH 65/8 - 90	280M2	80	65	2100	650	472	687	195	604	150	1050	6x20	590	110	1063
MGH 65/8 - 110	315S2	80	65	2150	700	507	722	195	604	150	1075	6x24	640	135	1275
MGH 65/8 - 132	315M2A	80	65	2200	700	507	722	195	604	150	1100	6x24	640	135	1389

# MGH / MGH4

## Horizontal, Multi-Staged Centrifugal Pump

### Dimensions




Pump type	Motor	DN <sub>s</sub> [mm]	DN <sub>d</sub> [mm]	L [mm]	W [mm]	H1 [mm]	H2 [mm]	A1 [mm]	A2 [mm]	L1 [mm]	L2 [mm]	n x M [nXØmm]	W1 [mm]	W2 [mm]	Weight [kg]
MGH4 65/9 - 11	160M4B	80	65	1750	450	328	543	195	675	150	875	6x18	400	10	453
MGH4 65/9 - 15	160L4A	80	65	1750	450	330	545	195	675	150	875	6x18	400	10	480
MGH4 65/9 - 18,5	180M4B	80	65	1800	450	330	545	195	675	150	900	6x18	400	10	512
MGH 65/9 - 90	280M2	80	65	2150	650	472	687	195	675	150	1075	6x20	590	110	1088
MGH 65/9 - 110	315S2	80	65	2250	700	507	722	195	675	150	1125	6x24	640	135	1306
MGH 65/9 - 132	315M2A	80	65	2300	700	507	722	195	675	150	1150	6x24	640	135	1420
MGH 65/9 - 160	315M2B	80	65	2300	750	527	742	195	675	150	1150	6x24	690	160	1571
MGH4 65/10 - 11	160M4B	80	65	1800	450	330	545	195	746	150	900	6x18	400	10	489
MGH4 65/10 - 15	160L4A	80	65	1800	450	330	545	195	746	150	900	6x18	400	10	503
MGH4 65/10 - 18,5	180M4B	80	65	1850	450	330	545	195	746	150	925	6x18	400	10	536
MGH4 65/10 - 22	180L4B	80	65	1850	450	330	545	195	746	150	925	6x18	400	10	544
MGH 65/10 - 90	280M2	80	65	2250	650	472	687	195	746	150	1125	6x20	590	110	1119
MGH 65/10 - 110	315S2	80	65	2300	700	507	722	195	746	150	1150	6x24	640	135	1332
MGH 65/10 - 132	315M2A	80	65	2350	700	507	722	195	746	150	1175	6x24	640	135	1445
MGH 65/10 - 160	315M2B	80	65	2350	750	527	742	195	746	150	1175	6x24	690	160	1597
MGH4 65/11 - 15	160L4A	80	65	1900	450	330	545	195	817	150	950	6x18	400	10	530
MGH4 65/11 - 18,5	180M4B	80	65	1900	450	330	545	195	817	150	950	6x18	400	10	559
MGH4 65/11 - 22	180L4B	80	65	1900	450	330	545	195	817	150	950	6x18	400	10	567
MGH4 80/2 - 4	112M4B	100	80	1150	550	338	603	250	195	100	-	4x16	505	10	274
MGH4 80/2 - 5,5	132S4C	100	80	1200	550	338	603	250	195	100	-	4x16	505	10	285
MGH4 80/2 - 7,5	132M4B	100	80	1250	550	338	603	250	195	150	625	6x16	505	10	309
MGH4 80/2 - 11	160M4B	100	80	1350	550	358	623	250	195	150	675	6x16	500	10	337
MGH 80/2 - 30	200L2A	100	80	1450	550	358	623	250	195	150	725	6x18	500	10	420
MGH 80/2 - 37	200L2B	100	80	1450	550	358	623	250	195	150	725	6x18	500	10	439
MGH 80/2 - 45	225M2A	100	80	1500	550	375	640	250	195	150	750	6x18	500	10	499
MGH 80/2 - 55	250M2A	100	80	1550	600	400	665	250	195	150	775	6x18	550	35	538
MGH 80/2 - 75	280S2	100	80	1750	650	452	717	250	195	150	875	6x20	595	60	893
MGH4 80/3 - 5,5	132S4C	100	80	1300	550	338	603	250	278	150	650	6x16	505	10	317
MGH4 80/3 - 7,5	132M4B	100	80	1350	550	358	623	250	278	150	675	6x16	500	10	347
MGH4 80/3 - 11	160M4B	100	80	1450	550	358	623	250	278	150	725	6x16	500	10	369
MGH4 80/3 - 15	160L4A	100	80	1450	550	358	623	250	278	150	725	6x16	500	10	383
MGH 80/3 - 45	225M2A	100	80	1600	550	375	640	250	278	150	800	6x18	500	10	532
MGH 80/3 - 55	250M2A	100	80	1650	600	400	665	250	278	150	825	6x18	550	35	572
MGH 80/3 - 75	280S2	100	80	1800	650	452	717	250	278	150	900	6x20	595	60	924
MGH 80/3 - 90	280M2	100	80	1850	650	452	717	250	278	150	925	6x20	595	60	979
MGH4 80/4 - 7,5	132M4B	100	80	1400	550	358	623	250	361	150	700	6x16	500	10	376
MGH4 80/4 - 11	160M4B	100	80	1550	550	358	623	250	361	150	775	6x18	500	10	401
MGH4 80/4 - 15	160L4A	100	80	1550	550	358	623	250	361	150	775	6x18	500	10	415
MGH4 80/4 - 18,5	180M4B	100	80	1550	550	360	625	250	361	150	775	6x18	500	10	455
MGH 80/4 - 75	280S2	100	80	1900	650	452	717	250	361	150	950	6x20	595	60	960
MGH 80/4 - 90	280M2	100	80	1950	650	472	737	250	361	150	975	6x20	590	60	1027
MGH 80/4 - 110	315S2	100	80	2000	700	507	772	250	361	150	1000	6x20	640	85	1239
MGH 80/4 - 132	315M2A	100	80	2050	700	507	772	250	361	150	1025	6x24	640	85	1352

# MGH / MGH4

## Horizontal, Multi-Staged Centrifugal Pump

### Dimensions




Pump type	Motor	DNs [mm]	DNd [mm]	L [mm]	W [mm]	H1 [mm]	H2 [mm]	A1 [mm]	A2 [mm]	L1 [mm]	L2 [mm]	n X M [nXØmm]	W1 [mm]	W2 [mm]	Weight [kg]
MGH4 80/5 - 11	160M4B	100	80	1600	550	358	623	250	444	150	800	6x18	500	10	430
MGH4 80/5 - 15	160L4A	100	80	1600	550	358	623	250	444	150	800	6x18	500	10	444
MGH4 80/5 - 18,5	180M4B	100	80	1650	550	360	625	250	444	150	825	6x18	500	10	488
MGH4 80/5 - 22	180L4B	100	80	1650	550	360	625	250	444	150	825	6x18	500	10	496
MGH 80/5 - 75	280S2	100	80	2000	650	452	717	250	444	150	1000	6x20	595	60	996
MGH 80/5 - 90	280M2	100	80	2050	650	472	737	250	444	150	1025	6x20	590	60	1064
MGH 80/5 - 110	315S2	100	80	2100	700	507	772	250	444	150	1050	6x24	640	85	1276
MGH 80/5 - 132	315M2A	100	80	2150	700	507	772	250	444	150	1075	6x24	640	85	1389
MGH 80/5 - 160	315M2B	100	80	2150	750	527	792	250	444	150	1075	6x24	690	110	1539
MGH4 80/6 - 11	160M4B	100	80	1700	550	360	625	250	527	150	850	6x18	500	10	474
MGH4 80/6 - 15	160L4A	100	80	1700	550	360	625	250	527	150	850	6x18	500	10	488
MGH4 80/6 - 18,5	180M4B	100	80	1750	550	360	625	250	527	150	875	6x18	500	10	521
MGH4 80/6 - 22	180L4B	100	80	1750	550	360	625	250	527	150	875	6x18	500	10	529
MGH4 80/6 - 30	200L4C	100	80	1750	550	380	645	250	527	150	875	6x18	495	10	594
MGH 80/6 - 90	280M2	100	80	2100	650	472	737	250	527	150	1050	6x20	590	60	1095
MGH 80/6 - 110	315S2	100	80	2200	700	507	772	250	527	150	1100	6x24	640	85	1313
MGH 80/6 - 132	315M2A	100	80	2250	700	507	772	250	527	150	1125	6x24	640	85	1426
MGH 80/6 - 160	315M2B	100	80	2250	750	527	792	250	527	150	1125	6x24	690	110	1577
MGH 80/6 - 185	315L2A	100	80	2350	750	527	792	250	527	150	1175	6x24	690	110	1689
MGH4 80/7 - 15	160L4A	100	80	1800	550	360	625	250	610	150	900	6x18	500	10	521
MGH4 80/7 - 18,5	180M4B	100	80	1800	550	360	625	250	610	150	900	6x18	500	10	550
MGH4 80/7 - 22	180L4B	100	80	1800	550	360	625	250	610	150	900	6x18	500	10	558
MGH4 80/7 - 30	200L4C	100	80	1850	550	380	645	250	610	150	925	6x18	495	10	628
MGH4 80/8 - 15	160L4A	100	80	1850	550	360	625	250	693	150	925	6x18	500	10	551
MGH4 80/8 - 18,5	180M4B	100	80	1900	550	380	645	250	693	150	950	6x18	495	10	601
MGH4 80/8 - 22	180L4B	100	80	1900	550	380	645	250	693	150	950	6x18	495	10	609
MGH4 80/8 - 30	200L4C	100	80	1950	550	380	645	250	693	150	975	6x18	495	10	662
MGH4 80/8 - 37	225S4A	100	80	2050	550	395	660	250	693	150	1025	6x20	495	10	725
MGH4 80/8 - 45	225M4C	100	80	2050	550	395	660	250	693	150	1025	6x20	495	10	762
MGH4 80/9 - 18,5	180M4B	100	80	2000	550	380	645	250	776	150	1000	6x18	495	10	635
MGH4 80/9 - 22	180L4B	100	80	2000	550	380	645	250	776	150	1000	6x18	495	10	643
MGH4 80/9 - 30	200L4C	100	80	2000	550	380	645	250	776	150	1000	6x18	495	10	692
MGH4 80/9 - 37	225S4A	100	80	2100	550	395	660	250	776	150	1050	6x20	495	10	755
MGH4 80/9 - 45	225M4C	100	80	2100	550	395	660	250	776	150	1050	6x20	495	10	792
MGH4 80/10 - 18,5	180M4B	100	80	2050	550	380	645	250	859	150	1025	6x18	495	10	665
MGH4 80/10 - 22	180L4B	100	80	2050	550	380	645	250	859	150	1025	6x18	495	10	673
MGH4 80/10 - 30	200L4C	100	80	2100	550	380	645	250	859	150	1050	6x20	495	10	725
MGH4 80/10 - 37	225S4A	100	80	2200	550	395	660	250	859	150	1100	6x20	495	10	789
MGH4 80/10 - 45	225M4C	100	80	2200	550	395	660	250	859	150	1100	6x20	495	10	826
MGH4 80/11 - 22	180L4B	100	80	2250	550	380	645	325	942	150	1125	6x20	495	10	714
MGH4 80/11 - 30	200L4C	100	80	2250	550	380	645	325	942	150	1125	6x20	495	10	763
MGH4 80/11 - 37	225S4A	100	80	2350	550	395	660	325	942	150	1175	6x20	495	10	827
MGH4 80/11 - 45	225M4C	100	80	2350	550	397	662	325	942	150	1175	6x20	495	10	884
MGH4 80/12 - 22	180L4B	100	80	2300	550	380	645	325	1025	150	1150	6x20	495	10	744
MGH4 80/12 - 30	200L4C	100	80	2350	550	380	645	325	1025	150	1175	6x20	495	10	797
MGH4 80/12 - 37	225S4A	100	80	2450	550	397	662	325	1025	150	1225	6x20	495	10	882
MGH4 80/12 - 45	225M4C	100	80	2450	550	397	662	325	1025	150	1225	6x20	495	10	919
MGH4 80/12 - 55	250M4C	100	80	2450	600	422	687	325	1025	150	1225	6x20	545	35	951



# MGH / MGH4

## Horizontal, Multi-Staged Centrifugal Pump

### Dimensions




Pump type	Motor	DNs [mm]	DNd [mm]	L [mm]	W [mm]	H1 [mm]	H2 [mm]	A1 [mm]	A2 [mm]	L1 [mm]	L2 [mm]	n X M [nXØmm]	W1 [mm]	W2 [mm]	Weight [kg]
MGH4 80/13 - 30	200L4C	100	80	2450	550	380	645	325	1108	150	1225	6x20	495	10	830
MGH4 80/13 - 37	225S4A	100	80	2550	550	397	662	325	1108	150	1275	6x20	495	10	917
MGH4 80/13 - 45	225M4C	100	80	2550	550	397	662	325	1108	150	1275	6x20	495	10	954
MGH4 80/13 - 55	250M4C	100	80	2550	600	422	687	325	1108	150	1275	6x20	545	35	986
MGH4 80/14 - 30	200L4C	100	80	2500	550	382	647	325	1191	150	1250	6x20	495	10	880
MGH4 80/14 - 37	225S4A	100	80	2600	550	397	662	325	1191	150	1300	6x20	495	10	947
MGH4 80/14 - 45	225M4C	100	80	2600	550	397	662	325	1191	150	1300	6x20	495	10	984
MGH4 80/14 - 55	250M4C	100	80	2650	600	422	687	325	1191	150	1325	6x20	545	35	1021
MGH4 80/14 - 75	280S4	100	80	2800	650	472	737	325	1191	150	1400	6x24	590	60	1317
MGH4 80/15 - 30	200L4C	100	80	2600	550	382	647	325	1274	150	1300	6x20	495	10	914
MGH4 80/15 - 37	225S4A	100	80	2700	550	397	662	325	1274	150	1350	6x20	495	10	982
MGH4 80/15 - 45	225M4C	100	80	2700	550	397	662	325	1274	150	1350	6x20	495	10	1019
MGH4 80/15 - 55	250M4C	100	80	2700	600	422	687	325	1274	150	1350	6x20	545	35	1052
MGH4 80/15 - 75	280S4	100	80	2900	650	472	737	325	1274	150	1450	6x24	590	60	1353
MGH4 100/2 - 15	160L4A	125	100	1500	600	400	700	285	233	150	750	6x18	550	0	458
MGH4 100/2 - 18,5	180M4B	125	100	1550	600	400	700	285	233	150	775	6x18	550	0	490
MGH4 100/2 - 22	180L4B	125	100	1550	600	400	700	285	233	150	775	6x18	550	0	498
MGH4 100/2 - 30	200L4C	125	100	1600	600	400	700	285	233	150	800	6x18	550	0	551
MGH4 100/3 - 22	180L4B	125	100	1650	600	400	700	285	333	150	825	6x18	550	0	548
MGH4 100/3 - 30	200L4C	125	100	1700	600	420	720	285	333	150	850	6x18	545	0	610
MGH4 100/3 - 37	225S4A	125	100	1800	600	420	720	285	333	150	900	6x18	545	0	671
MGH4 100/4 - 30	200L4C	125	100	1800	600	420	720	285	433	150	900	6x18	545	0	659
MGH4 100/4 - 37	225S4A	125	100	1900	600	420	720	285	433	150	950	6x20	545	0	721
MGH4 100/4 - 45	225M4C	125	100	1900	600	420	720	285	433	150	950	6x20	545	0	758
MGH4 100/4 - 55	250M4C	125	100	1900	600	420	720	285	433	150	950	6x20	545	0	786
MGH4 100/5 - 37	225S4A	125	100	2000	600	420	720	285	533	150	1000	6x20	545	0	772
MGH4 100/5 - 45	225M4C	125	100	2000	600	420	720	285	533	150	1000	6x20	545	0	809
MGH4 100/5 - 55	250M4C	125	100	2000	600	422	722	285	533	150	1000	6x20	545	0	855
MGH4 100/5 - 75	280S4	125	100	2150	650	472	772	285	533	150	1075	6x20	590	25	1143
MGH4 100/6 - 45	225M4C	125	100	2100	600	422	722	285	633	150	1050	6x20	545	0	877
MGH4 100/6 - 55	250M4C	125	100	2100	600	422	722	285	633	150	1050	6x20	545	0	907
MGH4 100/6 - 75	280S4	125	100	2250	650	472	772	285	633	150	1125	6x20	590	25	1196
MGH4 100/7 - 45	225M4C	125	100	2200	600	422	722	285	733	150	1100	6x20	545	0	928
MGH4 100/7 - 55	250M4C	125	100	2200	600	422	722	285	733	150	1100	6x20	545	0	958
MGH4 100/7 - 75	280S4	125	100	2350	650	472	772	285	733	150	1175	6x20	590	25	1248
MGH4 100/7 - 90	280M4	125	100	2450	650	472	772	285	733	150	1225	6x24	590	25	1339
MGH4 100/8 - 55	250M4C	125	100	2300	600	422	722	285	833	150	1150	6x20	545	0	1009
MGH4 100/8 - 75	280S4	125	100	2450	650	472	772	285	833	150	1225	6x24	590	25	1301
MGH4 100/8 - 90	280M4	125	100	2550	650	472	772	285	833	150	1275	6x24	590	25	1391
MGH4 100/8 - 110	315S4	125	100	2600	750	527	827	285	833	150	1300	6x24	690	75	1598
MGH4 100/9 - 75	280S4	125	100	2650	650	472	772	370	933	150	1325	6x24	590	25	1364
MGH4 100/9 - 90	280M4	125	100	2700	650	472	772	370	933	150	1350	6x24	590	25	1449
MGH4 100/9 - 110	315S4	125	100	2800	750	527	827	370	933	150	1400	6x24	690	75	1665
MGH4 100/10 - 75	280S4	125	100	2750	650	472	772	370	1033	150	1375	6x24	590	25	1416
MGH4 100/10 - 90	280M4	125	100	2800	650	472	772	370	1033	150	1400	6x24	590	25	1502
MGH4 100/10 - 110	315S4	125	100	2900	750	527	827	370	1033	150	1450	6x24	690	75	1719
MGH4 100/10 - 132	315M4A	125	100	2950	750	527	827	370	1033	150	1475	6x24	690	75	1845

# MGH / MGH4

## Horizontal, Multi-Staged Centrifugal Pump

### Dimensions




Pump type	Motor	DNs [mm]	DNd [mm]	L [mm]	W [mm]	H1 [mm]	H2 [mm]	A1 [mm]	A2 [mm]	L1 [mm]	L2 [mm]	n X M [nXØmm]	W1 [mm]	W2 [mm]	Weight [kg]
MGH4 100/11 - 75	280S4	125	100	2850	650	472	772	370	1133	150	1425	6x24	590	25	1469
MGH4 100/11 - 90	280M4	125	100	2900	650	472	772	370	1133	150	1450	6x24	590	25	1554
MGH4 100/11 - 110	315S4	125	100	3000	750	527	827	370	1133	150	1500	6x24	690	75	1773
MGH4 100/11 - 132	315M4A	125	100	3050	750	527	827	370	1133	150	1525	6x24	690	75	1899
MGH4 100/12 - 90	280M4	125	100	3000	700	492	792	370	1233	150	1500	6x24	640	50	1641
MGH4 100/12 - 110	315S4	125	100	3100	750	527	827	370	1233	150	1550	6x24	690	75	1827
MGH4 100/12 - 132	315M4A	125	100	3150	750	527	827	370	1233	150	1575	6x24	690	75	1953
MGH4 100/12 - 160	315M4B	125	100	3150	750	527	827	370	1233	150	1575	6x24	690	75	2078
MGH4 100/13 - 90	280M4	125	100	3100	700	492	792	370	1333	150	1550	6x24	640	50	1694
MGH4 100/13 - 110	315S4	125	100	3200	750	527	827	370	1333	150	1600	6x24	690	75	1881
MGH4 100/13 - 132	315M4A	125	100	3250	750	527	827	370	1333	150	1625	6x24	690	75	2007
MGH4 100/13 - 160	315M4B	125	100	3250	750	527	827	370	1333	150	1625	6x24	690	75	2132
MGH4 100/14 - 90	280M4	125	100	3200	700	492	792	370	1433	150	1600	6x24	640	50	1748
MGH4 100/14 - 110	315S4	125	100	3300	750	527	827	370	1433	150	1650	6x24	690	75	1935
MGH4 100/14 - 132	315M4A	125	100	3350	750	527	827	370	1433	150	1675	6x24	690	75	2061
MGH4 100/14 - 160	315M4B	125	100	3350	750	527	827	370	1433	150	1675	6x24	690	75	2186
MGH4 100/14 - 185	315L4A	125	100	3450	750	527	827	370	1433	150	1725	6x24	690	75	2298
MGH4 100/15 - 110	315S4	125	100	3400	750	527	827	370	1533	150	1700	6x24	690	75	1989
MGH4 100/15 - 132	315M4A	125	100	3450	750	527	827	370	1533	150	1725	6x24	690	75	2115
MGH4 100/15 - 160	315M4B	125	100	3450	750	527	827	370	1533	150	1725	6x24	690	75	2240
MGH4 100/15 - 185	315L4A	125	100	3550	750	527	827	370	1533	150	1775	6x24	690	75	2352
MGH4 125/2 - 37	225S4A	150	125	1750	750	472	847	300	280	150	875	6x20	695	0	868
MGH4 125/2 - 45	225M4C	150	125	1750	750	472	847	300	280	150	875	6x20	695	0	905
MGH4 125/2 - 55	250M4C	150	125	1800	750	472	847	300	280	150	900	6x20	695	0	929
MGH4 125/3 - 55	250M4C	150	125	1900	750	492	867	300	395	150	950	6x20	690	0	1026
MGH4 125/3 - 75	280S4	150	125	2050	750	492	867	300	395	150	1025	6x24	690	0	1301
MGH4 125/4 - 75	280S4	150	125	2200	750	492	867	300	510	150	1100	6x24	690	0	1392
MGH4 125/4 - 90	280M4	150	125	2250	750	492	867	300	510	150	1125	6x24	690	0	1477
MGH4 125/4 - 110	315S4	150	125	2350	750	527	902	300	510	150	1175	6x24	690	0	1685
MGH4 125/5 - 90	280M4	150	125	2350	750	512	887	300	625	150	1175	6x24	690	0	1589
MGH4 125/5 - 110	315S4	150	125	2450	750	527	902	300	625	150	1225	6x24	690	0	1772
MGH4 125/5 - 132	315M4A	150	125	2500	750	527	902	300	625	150	1250	6x24	690	0	1898
MGH4 125/6 - 110	315S4	150	125	2550	750	527	902	300	740	150	1275	6x24	690	0	1859
MGH4 125/6 - 132	315M4A	150	125	2600	750	527	902	300	740	150	1300	6x24	690	0	1985
MGH4 125/6 - 160	315M4B	150	125	2600	750	527	902	300	740	150	1300	6x24	690	0	2110
MGH4 125/7 - 132	315M4A	150	125	2800	750	527	902	375	855	150	1400	6x24	690	0	2085
MGH4 125/7 - 160	315M4B	150	125	2800	750	527	902	375	855	150	1400	6x24	690	0	2210
MGH4 125/7 - 185	315L4A	150	125	2900	750	527	902	375	855	150	1450	6x24	690	0	2322
MGH 125/8 - 160	315M4B	150	125	2950	750	527	902	375	970	150	1475	6x24	690	0	2303
MGH 125/8 - 185	315L4A	150	125	3000	750	527	902	375	970	150	1500	6x24	690	0	2409
MGH 125/8 - 200	315L4B	150	125	3000	750	527	902	375	970	150	1500	6x24	690	0	2459
MGH4 125/9 - 160	315M4B	150	125	3050	750	527	902	375	1085	150	1525	6x24	690	0	2390
MGH4 125/9 - 185	315L4A	150	125	3150	750	527	902	375	1085	150	1575	6x24	690	0	2502
MGH4 125/9 - 200	315L4B	150	125	3150	750	527	902	375	1085	150	1575	6x24	690	0	2552
MGH4 125/9 - 250	355M4A	150	125	3250	850	567	942	375	1085	150	1625	6x24	790	50	2880
MGH4 125/10 - 185	315L4A	150	125	3250	750	527	902	375	1200	150	1625	6x24	690	0	2589
MGH4 125/10 - 200	315L4B	150	125	3250	750	527	902	375	1200	150	1625	6x24	690	0	2639
MGH4 125/10 - 250	355M4A	150	125	3350	850	567	942	375	1200	150	1675	6x24	790	50	2968

# MGH / MGH4

## Horizontal, Multi-Staged Centrifugal Pump

### Dimensions



Pump type	Motor	DNs [mm]	DNd [mm]	L [mm]	W [mm]	H1 [mm]	H2 [mm]	A1 [mm]	A2 [mm]	L1 [mm]	L2 [mm]	n X M [nXØmm]	W1 [mm]	W2 [mm]	Weight [kg]
MGH4 125/11 - 200	315L4B	150	125	3350	750	527	902	375	1315	150	1675	6x24	690	0	2726
MGH4 125/11 - 250	355M4A	150	125	3500	850	567	942	375	1315	150	1750	6x24	790	50	3062
MGH4 125/11 - 315	355M4B	150	125	3500	850	567	942	375	1315	150	1750	6x24	790	50	3269
MGH4 125/12 - 250	355M4A	150	125	3600	850	567	942	375	1430	150	1800	6x24	790	50	3150
MGH4 125/12 - 315	355M4B	150	125	3600	850	567	942	375	1430	150	1800	6x24	790	50	3357
MGH4 150/2 - 75	280S4	200	150	2200	850	562	987	360	363	150	1100	6x24	790	0	1606
MGH4 150/2 - 90	280M4	200	150	2250	850	562	987	360	363	150	1125	6x24	790	0	1692
MGH4 150/2 - 110	315S4	200	150	2350	850	562	987	360	363	150	1175	6x24	790	0	1875
MGH4 150/2 - 132	315M4A	200	150	2400	850	562	987	360	363	150	1200	6x24	790	0	2001
MGH4 150/3 - 90	280M4	200	150	2350	850	562	987	360	508	150	1175	6x24	790	0	1824
MGH4 150/3 - 110	315S4	200	150	2450	850	562	987	360	508	150	1225	6x24	790	0	2007
MGH4 150/3 - 132	315M4A	200	150	2500	850	562	987	360	508	150	1250	6x24	790	0	2133
MGH4 150/3 - 160	315M4B	200	150	2500	850	562	987	360	508	150	1250	6x24	790	0	2258
MGH4 150/3 - 185	315L4A	200	150	2600	850	562	987	360	508	150	1300	6x24	790	0	2370
MGH4 150/4 - 132	315M4A	200	150	2650	850	562	987	360	653	150	1325	6x24	790	0	2271
MGH4 150/4 - 160	315M4B	200	150	2650	850	562	987	360	653	150	1325	6x24	790	0	2396
MGH4 150/4 - 185	315L4A	200	150	2750	850	562	987	360	653	150	1375	6x24	790	0	2508
MGH4 150/4 - 200	315L4B	200	150	2750	850	562	987	360	653	150	1375	6x24	790	0	2558
MGH4 150/4 - 250	355M4A	200	150	2900	850	567	992	360	653	150	1450	6x24	790	0	2889
MGH4 150/5 - 160	315M4B	200	150	2800	850	562	987	360	798	150	1400	6x24	790	0	2535
MGH4 150/5 - 185	315L4A	200	150	2900	850	562	987	360	798	150	1450	6x24	790	0	2647
MGH4 150/5 - 200	315L4B	200	150	2900	850	562	987	360	798	150	1450	6x24	790	0	2697
MGH4 150/5 - 250	355M4A	200	150	3000	850	567	992	360	798	150	1500	6x24	790	0	3022
MGH4 150/5 - 315	355M4B	200	150	3000	850	567	992	360	798	150	1500	6x24	790	0	3229
MGH4 150/6 - 185	315L4A	200	150	3150	850	562	987	460	943	150	1575	6x24	790	0	2797
MGH4 150/6 - 200	315L4B	200	150	3150	850	562	987	460	943	150	1575	6x24	790	0	2847
MGH4 150/6 - 250	355M4A	200	150	3250	850	567	992	460	943	150	1625	6x24	790	0	3175
MGH4 150/6 - 315	355M4B	200	150	3250	850	567	992	460	943	150	1625	6x24	790	0	3382
MGH4 150/7 - 250	355M4A	200	150	3400	850	567	992	460	1088	150	1700	6x24	790	0	3314
MGH4 150/8 - 250	355M4A	200	150	3550	850	567	992	460	1233	150	1775	6x24	790	0	3454
MGH4 150/9 - 315	355M4B	200	150	3700	850	567	992	460	1378	150	1850	6x24	790	0	3800
MGH4 150/10 - 315	355M4B	200	150	3850	850	567	992	460	1523	150	1925	6x24	790	0	3940
MGH4 200/2 - 250	355M4A	250	200	2700	1000	612	1112	385	437	150	1350	6x24	940	0	3123
MGH4 200/2 - 315	355M4B	250	200	2700	1000	612	1112	385	437	150	1350	6x24	940	0	3330
MGH4 200/3 - 350	355M4C	250	200	2900	1000	612	1112	385	607	150	1450	6x24	940	0	3699





**EBITT EUROPE KFT**  
H-6782 Mórahalom, Szegedi út 108. Hungary  
Phone: +3662-280-926 Fax: +3662-280-927  
export@ebitteurope.com  
www.ebitteurope.com

**EBITT ASIA PACIFIC PTE LTD**  
(EAP Singapore)  
226 Jalan Eunos #04-128. Singapore 415869  
Phone: (65) 98393745  
info@ebitt-asiapac.com



**EBITME PUMPS ENGINES VALVES & SPARE PARTS TRADING CO. L.L.C.**  
ALSUAIDI, Al Suwaidi Bldg, Al Murar - Deira  
P.O. Box 453929 Dubai, UAE  
emea@ebitteurope.com  
+971 55-454 4187



**EBITT FINDUSTRIE (ZHE JIANG) INDUSTRIAL  
ENGINEERING LIMITED COMPANY**  
Hangzhou City, Zhejiang Province, China  
info@ebitt.com.cn  
+86 15168651662

**EBITT TÜRKİYE**  
Koçullu Mah. Doğru Sok. No:6  
34799 Çekmeköy / İstanbul  
info@ebitt.com.tr  
www.ebitt.com.tr

